
AWS Elastic Disaster Recovery

AWS Elastic Disaster Recovery Api Docs

API Version 2020-02-26



AWS Elastic Disaster Recovery: AWS Elastic Disaster Recovery Api Docs

Copyright © 2023 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
CreateExtendedSourceServer	3
Request Syntax	3
URI Request Parameters	3
Request Body	3
Response Syntax	3
Response Elements	5
Errors	5
See Also	6
CreateReplicationConfigurationTemplate	7
Request Syntax	7
URI Request Parameters	7
Request Body	7
Response Syntax	10
Response Elements	10
Errors	12
See Also	13
DeleteJob	14
Request Syntax	14
URI Request Parameters	14
Request Body	14
Response Syntax	14
Response Elements	14
Errors	14
See Also	15
DeleteRecoveryInstance	16
Request Syntax	16
URI Request Parameters	16
Request Body	16
Response Syntax	16
Response Elements	16
Errors	16
See Also	17
DeleteReplicationConfigurationTemplate	18
Request Syntax	18
URI Request Parameters	18
Request Body	18
Response Syntax	18
Response Elements	18
Errors	18
See Also	19
DeleteSourceServer	20
Request Syntax	20
URI Request Parameters	20
Request Body	20
Response Syntax	20
Response Elements	20
Errors	20
See Also	21
DescribeJobLogItems	22
Request Syntax	22
URI Request Parameters	22
Request Body	22

Response Syntax	22
Response Elements	23
Errors	23
See Also	24
DescribeJobs	25
Request Syntax	25
URI Request Parameters	25
Request Body	25
Response Syntax	26
Response Elements	26
Errors	26
See Also	27
DescribeRecoveryInstances	28
Request Syntax	28
URI Request Parameters	28
Request Body	28
Response Syntax	28
Response Elements	30
Errors	30
See Also	31
DescribeRecoverySnapshots	32
Request Syntax	32
URI Request Parameters	32
Request Body	32
Response Syntax	33
Response Elements	33
Errors	33
See Also	34
DescribeReplicationConfigurationTemplates	35
Request Syntax	35
URI Request Parameters	35
Request Body	35
Response Syntax	36
Response Elements	36
Errors	37
See Also	37
DescribeSourceServers	38
Request Syntax	38
URI Request Parameters	38
Request Body	38
Response Syntax	38
Response Elements	40
Errors	40
See Also	41
DisconnectRecoveryInstance	42
Request Syntax	42
URI Request Parameters	42
Request Body	42
Response Syntax	42
Response Elements	42
Errors	42
See Also	43
DisconnectSourceServer	44
Request Syntax	44
URI Request Parameters	44
Request Body	44
Response Syntax	44

Response Elements	46
Errors	47
See Also	48
GetFallbackReplicationConfiguration	49
Request Syntax	49
URI Request Parameters	49
Request Body	49
Response Syntax	49
Response Elements	49
Errors	50
See Also	50
GetLaunchConfiguration	52
Request Syntax	52
URI Request Parameters	52
Request Body	52
Response Syntax	52
Response Elements	52
Errors	53
See Also	54
GetReplicationConfiguration	55
Request Syntax	55
URI Request Parameters	55
Request Body	55
Response Syntax	55
Response Elements	56
Errors	58
See Also	59
InitializeService	60
Request Syntax	60
URI Request Parameters	60
Request Body	60
Response Syntax	60
Response Elements	60
Errors	60
See Also	60
ListExtensibleSourceServers	62
Request Syntax	62
URI Request Parameters	62
Request Body	62
Response Syntax	63
Response Elements	63
Errors	63
See Also	64
ListStagingAccounts	65
Request Syntax	65
URI Request Parameters	65
Request Body	65
Response Syntax	65
Response Elements	65
Errors	66
See Also	66
ListTagsForResource	67
Request Syntax	67
URI Request Parameters	67
Request Body	67
Response Syntax	67
Response Elements	67

Errors	68
See Also	68
RetryDataReplication	69
Request Syntax	69
URI Request Parameters	69
Request Body	69
Response Syntax	69
Response Elements	71
Errors	72
See Also	73
ReverseReplication	74
Request Syntax	74
URI Request Parameters	74
Request Body	74
Response Syntax	74
Response Elements	74
Errors	75
See Also	75
StartFallbackLaunch	77
Request Syntax	77
URI Request Parameters	77
Request Body	77
Response Syntax	77
Response Elements	78
Errors	78
See Also	79
StartRecovery	80
Request Syntax	80
URI Request Parameters	80
Request Body	80
Response Syntax	81
Response Elements	81
Errors	81
See Also	82
StartReplication	83
Request Syntax	83
URI Request Parameters	83
Request Body	83
Response Syntax	83
Response Elements	85
Errors	85
See Also	86
StopFallback	87
Request Syntax	87
URI Request Parameters	87
Request Body	87
Response Syntax	87
Response Elements	87
Errors	87
See Also	88
StopReplication	89
Request Syntax	89
URI Request Parameters	89
Request Body	89
Response Syntax	89
Response Elements	91
Errors	91

See Also	92
TagResource	93
Request Syntax	93
URI Request Parameters	93
Request Body	93
Response Syntax	93
Response Elements	93
Errors	94
See Also	94
TerminateRecoveryInstances	95
Request Syntax	95
URI Request Parameters	95
Request Body	95
Response Syntax	95
Response Elements	96
Errors	96
See Also	96
UntagResource	98
Request Syntax	98
URI Request Parameters	98
Request Body	98
Response Syntax	98
Response Elements	98
Errors	98
See Also	99
UpdateFallbackReplicationConfiguration	100
Request Syntax	100
URI Request Parameters	100
Request Body	100
Response Syntax	101
Response Elements	101
Errors	101
See Also	101
UpdateLaunchConfiguration	103
Request Syntax	103
URI Request Parameters	103
Request Body	103
Response Syntax	104
Response Elements	104
Errors	105
See Also	106
UpdateReplicationConfiguration	107
Request Syntax	107
URI Request Parameters	107
Request Body	107
Response Syntax	110
Response Elements	111
Errors	113
See Also	114
UpdateReplicationConfigurationTemplate	115
Request Syntax	115
URI Request Parameters	115
Request Body	115
Response Syntax	118
Response Elements	118
Errors	120
See Also	121

Data Types	122
Account	124
Contents	124
See Also	124
ConversionProperties	125
Contents	125
See Also	125
CPU	127
Contents	127
See Also	127
DataReplicationError	128
Contents	128
See Also	128
DataReplicationInfo	129
Contents	129
See Also	130
DataReplicationInfoReplicatedDisk	131
Contents	131
See Also	131
DataReplicationInitiation	133
Contents	133
See Also	133
DataReplicationInitiationStep	134
Contents	134
See Also	134
DescribeJobsRequestFilters	135
Contents	135
See Also	135
DescribeRecoveryInstancesRequestFilters	136
Contents	136
See Also	136
DescribeRecoverySnapshotsRequestFilters	137
Contents	137
See Also	137
DescribeSourceServersRequestFilters	138
Contents	138
See Also	138
Disk	139
Contents	139
See Also	139
IdentificationHints	140
Contents	140
See Also	140
Job	141
Contents	141
See Also	142
JobLog	143
Contents	143
See Also	143
JobLogEventData	144
Contents	144
See Also	144
Licensing	146
Contents	146
See Also	146
LifeCycle	147
Contents	147

See Also	148
LifeCycleLastLaunch	149
Contents	149
See Also	149
LifeCycleLastLaunchInitiated	150
Contents	150
See Also	150
NetworkInterface	151
Contents	151
See Also	151
OS	152
Contents	152
See Also	152
ParticipatingServer	153
Contents	153
See Also	153
PITPolicyRule	154
Contents	154
See Also	154
RecoveryInstance	156
Contents	156
See Also	158
RecoveryInstanceDataReplicationError	159
Contents	159
See Also	159
RecoveryInstanceDataReplicationInfo	160
Contents	160
See Also	161
RecoveryInstanceDataReplicationInfoReplicatedDisk	162
Contents	162
See Also	162
RecoveryInstanceDataReplicationInitiation	164
Contents	164
See Also	164
RecoveryInstanceDataReplicationInitiationStep	165
Contents	165
See Also	165
RecoveryInstanceDisk	166
Contents	166
See Also	166
RecoveryInstanceFallback	167
Contents	167
See Also	168
RecoveryInstanceProperties	170
Contents	170
See Also	171
RecoverySnapshot	172
Contents	172
See Also	173
ReplicationConfigurationReplicatedDisk	174
Contents	174
See Also	175
ReplicationConfigurationTemplate	176
Contents	176
See Also	178
SourceCloudProperties	179
Contents	179

See Also	179
SourceProperties	180
Contents	180
See Also	181
SourceServer	182
Contents	182
See Also	183
StagingArea	185
Contents	185
See Also	185
StagingSourceServer	187
Contents	187
See Also	187
StartRecoveryRequestSourceServer	188
Contents	188
See Also	188
ValidationExceptionField	189
Contents	189
See Also	189
Common Parameters	190
Common Errors	192

Welcome

AWS Elastic Disaster Recovery Service.

This document was last published on February 4, 2023.

Actions

The following actions are supported:

- [CreateExtendedSourceServer \(p. 3\)](#)
- [CreateReplicationConfigurationTemplate \(p. 7\)](#)
- [DeleteJob \(p. 14\)](#)
- [DeleteRecoveryInstance \(p. 16\)](#)
- [DeleteReplicationConfigurationTemplate \(p. 18\)](#)
- [DeleteSourceServer \(p. 20\)](#)
- [DescribeJobLogItems \(p. 22\)](#)
- [DescribeJobs \(p. 25\)](#)
- [DescribeRecoveryInstances \(p. 28\)](#)
- [DescribeRecoverySnapshots \(p. 32\)](#)
- [DescribeReplicationConfigurationTemplates \(p. 35\)](#)
- [DescribeSourceServers \(p. 38\)](#)
- [DisconnectRecoveryInstance \(p. 42\)](#)
- [DisconnectSourceServer \(p. 44\)](#)
- [GetFallbackReplicationConfiguration \(p. 49\)](#)
- [GetLaunchConfiguration \(p. 52\)](#)
- [GetReplicationConfiguration \(p. 55\)](#)
- [InitializeService \(p. 60\)](#)
- [ListExtensibleSourceServers \(p. 62\)](#)
- [ListStagingAccounts \(p. 65\)](#)
- [ListTagsForResource \(p. 67\)](#)
- [RetryDataReplication \(p. 69\)](#)
- [ReverseReplication \(p. 74\)](#)
- [StartFallbackLaunch \(p. 77\)](#)
- [StartRecovery \(p. 80\)](#)
- [StartReplication \(p. 83\)](#)
- [StopFallback \(p. 87\)](#)
- [StopReplication \(p. 89\)](#)
- [TagResource \(p. 93\)](#)
- [TerminateRecoveryInstances \(p. 95\)](#)
- [UntagResource \(p. 98\)](#)
- [UpdateFallbackReplicationConfiguration \(p. 100\)](#)
- [UpdateLaunchConfiguration \(p. 103\)](#)
- [UpdateReplicationConfiguration \(p. 107\)](#)
- [UpdateReplicationConfigurationTemplate \(p. 115\)](#)

CreateExtendedSourceServer

Create an extended source server in the target Account based on the source server in staging account.

Request Syntax

```
POST /CreateExtendedSourceServer HTTP/1.1
Content-type: application/json

{
    "sourceServerArn": "string",
    "tags": [
        "string" : "string"
    ]
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

sourceServerArn (p. 3)

This defines the ARN of the source server in staging Account based on which you want to create an extended source server.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:(?:[0-9a-zA-Z_-]+:){3}([0-9]{12,}):source-server/(s-[0-9a-zA-Z]{17})\$

Required: Yes

tags (p. 3)

A list of tags associated with the extended source server.

Type: String to string map

Key Length Constraints: Minimum length of 0. Maximum length of 256.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
    "sourceServer": {
```

```
"arn": "string",
"dataReplicationInfo": {
    "dataReplicationError": {
        "error": "string",
        "rawError": "string"
    },
    "dataReplicationInitiation": {
        "nextAttemptDateTime": "string",
        "startDateTime": "string",
        "steps": [
            {
                "name": "string",
                "status": "string"
            }
        ]
    },
    "dataReplicationState": "string",
    "etaDateTime": "string",
    "lagDuration": "string",
    "replicatedDisks": [
        {
            "backloggedStorageBytes": number,
            "deviceName": "string",
            "replicatedStorageBytes": number,
            "rescannedStorageBytes": number,
            "totalStorageBytes": number
        }
    ]
},
"lastLaunchResult": "string",
"lifeCycle": {
    "addedToServiceDateTime": "string",
    "elapsedReplicationDuration": "string",
    "firstByteDateTime": "string",
    "lastLaunch": {
        "initiated": {
            "apiCallDateTime": "string",
            "jobID": "string",
            "type": "string"
        }
    },
    "lastSeenByServiceDateTime": "string"
},
"recoveryInstanceId": "string",
"replicationDirection": "string",
"reversedDirectionSourceServerArn": "string",
"sourceCloudProperties": {
    "originAccountID": "string",
    "originAvailabilityZone": "string",
    "originRegion": "string"
},
"sourceProperties": {
    "cpus": [
        {
            "cores": number,
            "modelName": "string"
        }
    ],
    "disks": [
        {
            "bytes": number,
            "deviceName": "string"
        }
    ],
    "identificationHints": {
        "awsInstanceID": "string",
        "awsRegion": "string"
    }
}
```

```
        "fqdn": "string",
        "hostname": "string",
        "vmWareUuid": "string"
    },
    "lastUpdatedDateTime": "string",
    "networkInterfaces": [
        {
            "ips": [ "string" ],
            "isPrimary": boolean,
            "macAddress": "string"
        }
    ],
    "os": {
        "fullString": "string"
    },
    "ramBytes": number,
    "recommendedInstanceType": "string"
},
"sourceServerID": "string",
"stagingArea": {
    "errorMessage": "string",
    "stagingAccountID": "string",
    "stagingSourceServerArn": "string",
    "status": "string"
},
"tags": {
    "string" : "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

sourceServer (p. 3)

Created extended source server.

Type: [SourceServer \(p. 182\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

The resource for this operation was not found.

HTTP Status Code: 404

ServiceQuotaExceededException

The request could not be completed because its exceeded the service quota.

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

ValidationException

The input fails to satisfy the constraints specified by the AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateReplicationConfigurationTemplate

Creates a new ReplicationConfigurationTemplate.

Request Syntax

```
POST /CreateReplicationConfigurationTemplate HTTP/1.1
Content-type: application/json

{
    "associateDefaultSecurityGroup": boolean,
    "bandwidthThrottling": number,
    "createPublicIP": boolean,
    "dataPlaneRouting": "string",
    "defaultLargeStagingDiskType": "string",
    "ebsEncryption": "string",
    "ebsEncryptionKeyArn": "string",
    "pitPolicy": [
        {
            "enabled": boolean,
            "interval": number,
            "retentionDuration": number,
            "ruleID": number,
            "units": "string"
        }
    ],
    "replicationServerInstanceType": "string",
    "replicationServersSecurityGroupsIDs": [ "string" ],
    "stagingAreaSubnetId": "string",
    "stagingAreaTags": {
        "string" : "string"
    },
    "tags": {
        "string" : "string"
    },
    "useDedicatedReplicationServer": boolean
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

associateDefaultSecurityGroup (p. 7)

Whether to associate the default Elastic Disaster Recovery Security group with the Replication Configuration Template.

Type: Boolean

Required: Yes

bandwidthThrottling (p. 7)

Configure bandwidth throttling for the outbound data transfer rate of the Source Server in Mbps.

Type: Long

Valid Range: Minimum value of 0.

Required: Yes

[createPublicIP \(p. 7\)](#)

Whether to create a Public IP for the Recovery Instance by default.

Type: Boolean

Required: Yes

[dataPlaneRouting \(p. 7\)](#)

The data plane routing mechanism that will be used for replication.

Type: String

Valid Values: PRIVATE_IP | PUBLIC_IP

Required: Yes

[defaultLargeStagingDiskType \(p. 7\)](#)

The Staging Disk EBS volume type to be used during replication.

Type: String

Valid Values: GP2 | GP3 | ST1 | AUTO

Required: Yes

[ebsEncryption \(p. 7\)](#)

The type of EBS encryption to be used during replication.

Type: String

Valid Values: DEFAULT | CUSTOM

Required: Yes

[ebsEncryptionKeyArn \(p. 7\)](#)

The ARN of the EBS encryption key to be used during replication.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:.{16,2044}\$

Required: No

[pitPolicy \(p. 7\)](#)

The Point in time (PIT) policy to manage snapshots taken during replication.

Type: Array of [PITPolicyRule \(p. 154\)](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Required: Yes

[replicationServerInstanceType \(p. 7\)](#)

The instance type to be used for the replication server.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: Yes

[replicationServersSecurityGroupIDs \(p. 7\)](#)

The security group IDs that will be used by the replication server.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 32 items.

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: ^sg-[0-9a-fA-F]{8,} \$

Required: Yes

[stagingAreaSubnetId \(p. 7\)](#)

The subnet to be used by the replication staging area.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: ^subnet-[0-9a-fA-F]{8,} \$

Required: Yes

[stagingAreaTags \(p. 7\)](#)

A set of tags to be associated with all resources created in the replication staging area: EC2 replication server, EBS volumes, EBS snapshots, etc.

Type: String to string map

Key Length Constraints: Minimum length of 0. Maximum length of 256.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: Yes

[tags \(p. 7\)](#)

A set of tags to be associated with the Replication Configuration Template resource.

Type: String to string map

Key Length Constraints: Minimum length of 0. Maximum length of 256.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

[useDedicatedReplicationServer \(p. 7\)](#)

Whether to use a dedicated Replication Server in the replication staging area.

Type: Boolean

Required: Yes

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
    "arn": "string",
    "associateDefaultSecurityGroup": boolean,
    "bandwidthThrottling": number,
    "createPublicIP": boolean,
    "dataPlaneRouting": "string",
    "defaultLargeStagingDiskType": "string",
    "ebsEncryption": "string",
    "ebsEncryptionKeyArn": "string",
    "pitPolicy": [
        {
            "enabled": boolean,
            "interval": number,
            "retentionDuration": number,
            "ruleID": number,
            "units": "string"
        }
    ],
    "replicationConfigurationTemplateID": "string",
    "replicationServerInstanceType": "string",
    "replicationServersSecurityGroupsIDs": [ "string" ],
    "stagingAreaSubnetId": "string",
    "stagingAreaTags": {
        "string" : "string"
    },
    "tags": {
        "string" : "string"
    },
    "useDedicatedReplicationServer": boolean
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

[arn \(p. 10\)](#)

The Replication Configuration Template ARN.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:.{16,2044}\$

[associateDefaultSecurityGroup \(p. 10\)](#)

Whether to associate the default Elastic Disaster Recovery Security group with the Replication Configuration Template.

Type: Boolean

[bandwidthThrottling \(p. 10\)](#)

Configure bandwidth throttling for the outbound data transfer rate of the Source Server in Mbps.

Type: Long

Valid Range: Minimum value of 0.

[createPublicIP \(p. 10\)](#)

Whether to create a Public IP for the Recovery Instance by default.

Type: Boolean

[dataPlaneRouting \(p. 10\)](#)

The data plane routing mechanism that will be used for replication.

Type: String

Valid Values: PRIVATE_IP | PUBLIC_IP

[defaultLargeStagingDiskType \(p. 10\)](#)

The Staging Disk EBS volume type to be used during replication.

Type: String

Valid Values: GP2 | GP3 | ST1 | AUTO

[ebsEncryption \(p. 10\)](#)

The type of EBS encryption to be used during replication.

Type: String

Valid Values: DEFAULT | CUSTOM

[ebsEncryptionKeyArn \(p. 10\)](#)

The ARN of the EBS encryption key to be used during replication.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:.\{16,2044\}\$

[pitPolicy \(p. 10\)](#)

The Point in time (PIT) policy to manage snapshots taken during replication.

Type: Array of [PITPolicyRule \(p. 154\)](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

[replicationConfigurationTemplateID \(p. 10\)](#)

The Replication Configuration Template ID.

Type: String

Length Constraints: Fixed length of 21.

Pattern: ^rct-[0-9a-zA-Z]{17}\\$

[replicationServerInstanceType \(p. 10\)](#)

The instance type to be used for the replication server.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

[replicationServersSecurityGroupsIDs \(p. 10\)](#)

The security group IDs that will be used by the replication server.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 32 items.

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: ^sg-[0-9a-fA-F]{8,} \$

[stagingAreaSubnetId \(p. 10\)](#)

The subnet to be used by the replication staging area.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: ^subnet-[0-9a-fA-F]{8,} \$

[stagingAreaTags \(p. 10\)](#)

A set of tags to be associated with all resources created in the replication staging area: EC2 replication server, EBS volumes, EBS snapshots, etc.

Type: String to string map

Key Length Constraints: Minimum length of 0. Maximum length of 256.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

[tags \(p. 10\)](#)

A set of tags to be associated with the Replication Configuration Template resource.

Type: String to string map

Key Length Constraints: Minimum length of 0. Maximum length of 256.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

[useDedicatedReplicationServer \(p. 10\)](#)

Whether to use a dedicated Replication Server in the replication staging area.

Type: Boolean

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ServiceQuotaExceededException

The request could not be completed because its exceeded the service quota.

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

ValidationException

The input fails to satisfy the constraints specified by the AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteJob

Deletes a single Job by ID.

Request Syntax

```
POST /DeleteJob HTTP/1.1
Content-type: application/json

{
    "jobID": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

jobID (p. 14)

The ID of the Job to be deleted.

Type: String

Length Constraints: Fixed length of 24.

Pattern: ^drsjob-[0-9a-zA-Z]{17}\$

Required: Yes

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

ConflictException

The request could not be completed due to a conflict with the current state of the target resource.

HTTP Status Code: 409

InternalServerException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

The resource for this operation was not found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteRecoveryInstance

Deletes a single Recovery Instance by ID. This deletes the Recovery Instance resource from Elastic Disaster Recovery. The Recovery Instance must be disconnected first in order to delete it.

Request Syntax

```
POST /DeleteRecoveryInstance HTTP/1.1
Content-type: application/json

{
    "recoveryInstanceId": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[recoveryInstanceId \(p. 16\)](#)

The ID of the Recovery Instance to be deleted.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 19.

Pattern: ^i-[0-9a-fA-F]{8,} \$

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

The request could not be completed due to a conflict with the current state of the target resource.

HTTP Status Code: 409

InternalServerException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteReplicationConfigurationTemplate

Deletes a single Replication Configuration Template by ID

Request Syntax

```
POST /DeleteReplicationConfigurationTemplate HTTP/1.1
Content-type: application/json

{
    "replicationConfigurationTemplateID": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

replicationConfigurationTemplateID (p. 18)

The ID of the Replication Configuration Template to be deleted.

Type: String

Length Constraints: Fixed length of 21.

Pattern: ^rct-[0-9a-zA-Z]{17}\$

Required: Yes

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

ConflictException

The request could not be completed due to a conflict with the current state of the target resource.

HTTP Status Code: 409

InternalServerException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

The resource for this operation was not found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteSourceServer

Deletes a single Source Server by ID. The Source Server must be disconnected first.

Request Syntax

```
POST /DeleteSourceServer HTTP/1.1
Content-type: application/json

{
    "sourceServerID": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

sourceServerID (p. 20)

The ID of the Source Server to be deleted.

Type: String

Length Constraints: Fixed length of 19.

Pattern: ^s-[0-9a-zA-Z]{17}\$

Required: Yes

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

ConflictException

The request could not be completed due to a conflict with the current state of the target resource.

HTTP Status Code: 409

InternalServerException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

The resource for this operation was not found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeJobLogItems

Retrieves a detailed Job log with pagination.

Request Syntax

```
POST /DescribeJobLogItems HTTP/1.1
Content-type: application/json

{
    "jobID": "string",
    "maxResults": number,
    "nextToken": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[jobID \(p. 22\)](#)

The ID of the Job for which Job log items will be retrieved.

Type: String

Length Constraints: Fixed length of 24.

Pattern: ^drsjob-[0-9a-zA-Z]{17}\$

Required: Yes

[maxResults \(p. 22\)](#)

Maximum number of Job log items to retrieve.

Type: Integer

Valid Range: Minimum value of 1.

Required: No

[nextToken \(p. 22\)](#)

The token of the next Job log items to retrieve.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
  "items": [
    {
      "event": "string",
      "eventData": {
        "conversionProperties": {
          "dataTimestamp": "string",
          "forceUefi": boolean,
          "rootVolumeName": "string",
          "volumeToConversionMap": {
            "string" : {
              "string" : "string"
            }
          },
          "volumeToVolumeSize": {
            "string" : number
          }
        },
        "conversionServerID": "string",
        "rawError": "string",
        "sourceServerID": "string",
        "targetInstanceID": "string"
      },
      "logDateTime": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[items \(p. 22\)](#)

An array of Job log items.

Type: Array of [JobLog \(p. 143\)](#) objects

[nextToken \(p. 22\)](#)

The token of the next Job log items to retrieve.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

InternalServerError

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

ValidationException

The input fails to satisfy the constraints specified by the AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeJobs

Returns a list of Jobs. Use the JobsID and fromDate and toDate filters to limit which jobs are returned. The response is sorted by creationDateTime - latest date first. Jobs are created by the StartRecovery, TerminateRecoveryInstances and StartFailbackLaunch APIs. Jobs are also created by DiagnosticLaunch and TerminateDiagnosticInstances, which are APIs available only to *Support* and only used in response to relevant support tickets.

Request Syntax

```
POST /DescribeJobs HTTP/1.1
Content-type: application/json

{
  "filters": {
    "fromDate": "string",
    "jobIDs": [ "string" ],
    "toDate": "string"
  },
  "maxResults": number,
  "nextToken": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[filters \(p. 25\)](#)

A set of filters by which to return Jobs.

Type: [DescribeJobsRequestFilters \(p. 135\)](#) object

Required: No

[maxResults \(p. 25\)](#)

Maximum number of Jobs to retrieve.

Type: Integer

Valid Range: Minimum value of 1.

Required: No

[nextToken \(p. 25\)](#)

The token of the next Job to retrieve.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "items": [
    {
      "arn": "string",
      "creationDateTime": "string",
      "endDateTime": "string",
      "initiatedBy": "string",
      "jobID": "string",
      "participatingServers": [
        {
          "launchStatus": "string",
          "recoveryInstanceID": "string",
          "sourceServerID": "string"
        }
      ],
      "status": "string",
      "tags": {
        "string" : "string"
      },
      "type": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[items \(p. 26\)](#)

An array of Jobs.

Type: Array of [Job \(p. 141\)](#) objects

[nextToken \(p. 26\)](#)

The token of the next Job to retrieve.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

InternalServerError

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

ValidationException

The input fails to satisfy the constraints specified by the AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeRecoveryInstances

Lists all Recovery Instances or multiple Recovery Instances by ID.

Request Syntax

```
POST /DescribeRecoveryInstances HTTP/1.1
Content-type: application/json

{
  "filters": {
    "recoveryInstanceIDs": [ "string" ],
    "sourceServerIDs": [ "string" ]
  },
  "maxResults": number,
  "nextToken": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[filters \(p. 28\)](#)

A set of filters by which to return Recovery Instances.

Type: [DescribeRecoveryInstancesRequestFilters \(p. 136\)](#) object

Required: No

[maxResults \(p. 28\)](#)

Maximum number of Recovery Instances to retrieve.

Type: Integer

Valid Range: Minimum value of 1.

Required: No

[nextToken \(p. 28\)](#)

The token of the next Recovery Instance to retrieve.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

Response Syntax

```
HTTP/1.1 200
```

Content-type: application/json

```
{
  "items": [
    {
      "arn": "string",
      "dataReplicationInfo": {
        "dataReplicationError": {
          "error": "string",
          "rawError": "string"
        },
        "dataReplicationInitiation": {
          "startDateTime": "string",
          "steps": [
            {
              "name": "string",
              "status": "string"
            }
          ]
        },
        "dataReplicationState": "string",
        "etaDateTime": "string",
        "lagDuration": "string",
        "replicatedDisks": [
          {
            "backloggedStorageBytes": number,
            "deviceName": "string",
            "replicatedStorageBytes": number,
            "rescannedStorageBytes": number,
            "totalStorageBytes": number
          }
        ]
      },
      "ec2InstanceID": "string",
      "ec2InstanceState": "string",
      "fallback": {
        "agentLastSeenByServiceDateTime": "string",
        "elapsedReplicationDuration": "string",
        "fallbackClientID": "string",
        "fallbackClientLastSeenByServiceDateTime": "string",
        "fallbackInitiationTime": "string",
        "fallbackJobID": "string",
        "fallbackLaunchType": "string",
        "fallbackToOriginalServer": boolean,
        "firstByteDateTime": "string",
        "state": "string"
      },
      "isDrill": boolean,
      "jobID": "string",
      "originEnvironment": "string",
      "pointInTimeSnapshotDateTime": "string",
      "recoveryInstanceID": "string",
      "recoveryInstanceProperties": {
        "cpus": [
          {
            "cores": number,
            "modelName": "string"
          }
        ],
        "disks": [
          {
            "bytes": number,
            "ebsVolumeID": "string",
            "internalDeviceName": "string"
          }
        ],
        "network": [
          {
            "id": "string",
            "macAddress": "string",
            "name": "string",
            "size": number
          }
        ],
        "storage": [
          {
            "id": "string",
            "name": "string",
            "size": number
          }
        ]
      }
    }
  ]
}
```

```
"identificationHints": {  
    "awsInstanceID": "string",  
    "fqdn": "string",  
    "hostname": "string",  
    "vmWareUuid": "string"  
},  
"lastUpdatedDateTime": "string",  
"networkInterfaces": [  
    {  
        "ips": [ "string" ],  
        "isPrimary": boolean,  
        "macAddress": "string"  
    }  
],  
"os": {  
    "fullString": "string"  
},  
"ramBytes": number  
},  
"sourceServerID": "string",  
"tags": {  
    "string" : "string"  
}  
}  
]  
,  
"nextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[items \(p. 28\)](#)

An array of Recovery Instances.

Type: Array of [RecoveryInstance \(p. 156\)](#) objects

[nextToken \(p. 28\)](#)

The token of the next Recovery Instance to retrieve.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeRecoverySnapshots

Lists all Recovery Snapshots for a single Source Server.

Request Syntax

```
POST /DescribeRecoverySnapshots HTTP/1.1
Content-type: application/json

{
    "filters": {
        "fromDateTime": "string",
        "toDateTime": "string"
    },
    "maxResults": number,
    "nextToken": "string",
    "order": "string",
    "sourceServerID": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

filters (p. 32)

A set of filters by which to return Recovery Snapshots.

Type: [DescribeRecoverySnapshotsRequestFilters \(p. 137\)](#) object

Required: No

maxResults (p. 32)

Maximum number of Recovery Snapshots to retrieve.

Type: Integer

Valid Range: Minimum value of 1.

Required: No

nextToken (p. 32)

The token of the next Recovery Snapshot to retrieve.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

order (p. 32)

The sorted ordering by which to return Recovery Snapshots.

Type: String

Valid Values: ASC | DESC

Required: No

[sourceServerID \(p. 32\)](#)

Filter Recovery Snapshots by Source Server ID.

Type: String

Length Constraints: Fixed length of 19.

Pattern: ^s-[0-9a-zA-Z]{17}\$

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "items": [
    {
      "ebsSnapshots": [ "string" ],
      "expectedTimestamp": "string",
      "snapshotID": "string",
      "sourceServerID": "string",
      "timestamp": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[items \(p. 33\)](#)

An array of Recovery Snapshots.

Type: Array of [RecoverySnapshot \(p. 172\)](#) objects

[nextToken \(p. 33\)](#)

The token of the next Recovery Snapshot to retrieve.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

ValidationException

The input fails to satisfy the constraints specified by the AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeReplicationConfigurationTemplates

Lists all ReplicationConfigurationTemplates, filtered by Source Server IDs.

Request Syntax

```
POST /DescribeReplicationConfigurationTemplates HTTP/1.1
Content-type: application/json

{
  "maxResults": number,
  "nextToken": "string",
  "replicationConfigurationTemplateIDs": [ "string" ]
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

maxResults (p. 35)

Maximum number of Replication Configuration Templates to retrieve.

Type: Integer

Valid Range: Minimum value of 1.

Required: No

nextToken (p. 35)

The token of the next Replication Configuration Template to retrieve.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

replicationConfigurationTemplateIDs (p. 35)

The IDs of the Replication Configuration Templates to retrieve. An empty list means all Replication Configuration Templates.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Length Constraints: Fixed length of 21.

Pattern: ^rct-[0-9a-zA-Z]{17}\$

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "items": [
    {
      "arn": "string",
      "associateDefaultSecurityGroup": boolean,
      "bandwidthThrottling": number,
      "createPublicIP": boolean,
      "dataPlaneRouting": "string",
      "defaultLargeStagingDiskType": "string",
      "ebsEncryption": "string",
      "ebsEncryptionKeyArn": "string",
      "pitPolicy": [
        {
          "enabled": boolean,
          "interval": number,
          "retentionDuration": number,
          "ruleID": number,
          "units": "string"
        }
      ],
      "replicationConfigurationTemplateID": "string",
      "replicationServerInstanceType": "string",
      "replicationServersSecurityGroupsIDs": [ "string" ],
      "stagingAreaSubnetId": "string",
      "stagingAreaTags": {
        "string" : "string"
      },
      "tags": {
        "string" : "string"
      },
      "useDedicatedReplicationServer": boolean
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[items \(p. 36\)](#)

An array of Replication Configuration Templates.

Type: Array of [ReplicationConfigurationTemplate \(p. 176\)](#) objects

[nextToken \(p. 36\)](#)

The token of the next Replication Configuration Template to retrieve.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

InternalServerError

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

The resource for this operation was not found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

ValidationException

The input fails to satisfy the constraints specified by the AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeSourceServers

Lists all Source Servers or multiple Source Servers filtered by ID.

Request Syntax

```
POST /DescribeSourceServers HTTP/1.1
Content-type: application/json

{
  "filters": {
    "hardwareId": "string",
    "sourceServerIDs": [ "string" ],
    "stagingAccountIDs": [ "string" ]
  },
  "maxResults": number,
  "nextToken": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[filters \(p. 38\)](#)

A set of filters by which to return Source Servers.

Type: [DescribeSourceServersRequestFilters \(p. 138\)](#) object

Required: No

[maxResults \(p. 38\)](#)

Maximum number of Source Servers to retrieve.

Type: Integer

Valid Range: Minimum value of 1.

Required: No

[nextToken \(p. 38\)](#)

The token of the next Source Server to retrieve.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
  "items": [
    {
      "arn": "string",
      "dataReplicationInfo": {
        "dataReplicationError": {
          "error": "string",
          "rawError": "string"
        },
        "dataReplicationInitiation": {
          "nextAttemptDateTime": "string",
          "startDateTime": "string",
          "steps": [
            {
              "name": "string",
              "status": "string"
            }
          ]
        },
        "dataReplicationState": "string",
        "etaDateTime": "string",
        "lagDuration": "string",
        "replicatedDisks": [
          {
            "backloggedStorageBytes": number,
            "deviceName": "string",
            "replicatedStorageBytes": number,
            "rescannedStorageBytes": number,
            "totalStorageBytes": number
          }
        ]
      },
      "lastLaunchResult": "string",
      "lifeCycle": {
        "addedToServiceDateTime": "string",
        "elapsedReplicationDuration": "string",
        "firstByteDateTime": "string",
        "lastLaunch": {
          "initiated": {
            "apiCallDateTime": "string",
            "jobID": "string",
            "type": "string"
          }
        },
        "lastSeenByServiceDateTime": "string"
      },
      "recoveryInstanceId": "string",
      "replicationDirection": "string",
      "reversedDirectionSourceServerArn": "string",
      "sourceCloudProperties": {
        "originAccountID": "string",
        "originAvailabilityZone": "string",
        "originRegion": "string"
      },
      "sourceProperties": {
        "cpus": [
          {
            "cores": number,
            "modelName": "string"
          }
        ],
        "disks": [
          {
            "bytes": number,
            "size": "string"
          }
        ]
      }
    }
  ]
}
```

```
        "deviceName": "string"
    }
],
"identificationHints": {
    "awsInstanceID": "string",
    "fqdn": "string",
    "hostname": "string",
    "vmWareUuid": "string"
},
"lastUpdatedDateTime": "string",
"networkInterfaces": [
    {
        "ips": [ "string" ],
        "isPrimary": boolean,
        "macAddress": "string"
    }
],
"os": {
    "fullString": "string"
},
"ramBytes": number,
"recommendedInstanceType": "string"
},
"sourceServerID": "string",
"stagingArea": {
    "errorMessage": "string",
    "stagingAccountID": "string",
    "stagingSourceServerArn": "string",
    "status": "string"
},
"tags": {
    "string" : "string"
}
}
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[items \(p. 38\)](#)

An array of Source Servers.

Type: Array of [SourceServer \(p. 182\)](#) objects

[nextToken \(p. 38\)](#)

The token of the next Source Server to retrieve.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

InternalServerError

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

ValidationException

The input fails to satisfy the constraints specified by the AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DisconnectRecoveryInstance

Disconnect a Recovery Instance from Elastic Disaster Recovery. Data replication is stopped immediately. All AWS resources created by Elastic Disaster Recovery for enabling the replication of the Recovery Instance will be terminated / deleted within 90 minutes. If the agent on the Recovery Instance has not been prevented from communicating with the Elastic Disaster Recovery service, then it will receive a command to uninstall itself (within approximately 10 minutes). The following properties of the Recovery Instance will be changed immediately: dataReplicationInfo.dataReplicationState will be set to DISCONNECTED; The totalStorageBytes property for each of dataReplicationInfo.replicatedDisks will be set to zero; dataReplicationInfo.lagDuration and dataReplicationInfo.lagDuration will be nullified.

Request Syntax

```
POST /DisconnectRecoveryInstance HTTP/1.1
Content-type: application/json

{
    "recoveryInstanceID": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

recoveryInstanceID (p. 42)

The ID of the Recovery Instance to disconnect.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 19.

Pattern: ^[0-9a-fA-F]{8,} \$

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

The request could not be completed due to a conflict with the current state of the target resource.

HTTP Status Code: 409

InternalServerError

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

The resource for this operation was not found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DisconnectSourceServer

Disconnects a specific Source Server from Elastic Disaster Recovery. Data replication is stopped immediately. All AWS resources created by Elastic Disaster Recovery for enabling the replication of the Source Server will be terminated / deleted within 90 minutes. You cannot disconnect a Source Server if it has a Recovery Instance. If the agent on the Source Server has not been prevented from communicating with the Elastic Disaster Recovery service, then it will receive a command to uninstall itself (within approximately 10 minutes). The following properties of the SourceServer will be changed immediately: dataReplicationInfo.dataReplicationState will be set to DISCONNECTED; The totalStorageBytes property for each of dataReplicationInfo.replicatedDisks will be set to zero; dataReplicationInfo.lagDuration and dataReplicationInfo.lagDuration will be nullified.

Request Syntax

```
POST /DisconnectSourceServer HTTP/1.1
Content-type: application/json

{
    "sourceServerID": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

sourceServerID (p. 44)

The ID of the Source Server to disconnect.

Type: String

Length Constraints: Fixed length of 19.

Pattern: ^s-[0-9a-zA-Z]{17}\$

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "arn": "string",
    "dataReplicationInfo": {
        "dataReplicationError": {
            "error": "string",
            "rawError": "string"
        },
        "dataReplicationInitiation": {

```

```
"nextAttemptDateTime": "string",
"startDateTime": "string",
"steps": [
  {
    "name": "string",
    "status": "string"
  }
],
"dataReplicationState": "string",
"etaDateTime": "string",
"lagDuration": "string",
"replicatedDisks": [
  {
    "backloggedStorageBytes": number,
    "deviceName": "string",
    "replicatedStorageBytes": number,
    "rescannedStorageBytes": number,
    "totalStorageBytes": number
  }
],
"lastLaunchResult": "string",
"lifeCycle": {
  "addedToServiceDateTime": "string",
  "elapsedReplicationDuration": "string",
  "firstByteDateTime": "string",
  "lastLaunch": {
    "initiated": {
      "apiCallDateTime": "string",
      "jobID": "string",
      "type": "string"
    }
  },
  "lastSeenByServiceDateTime": "string"
},
"recoveryInstanceId": "string",
"replicationDirection": "string",
"reversedDirectionSourceServerArn": "string",
"sourceCloudProperties": {
  "originAccountID": "string",
  "originAvailabilityZone": "string",
  "originRegion": "string"
},
"sourceProperties": {
  "cpus": [
    {
      "cores": number,
      "modelName": "string"
    }
  ],
  "disks": [
    {
      "bytes": number,
      "deviceName": "string"
    }
  ],
  "identificationHints": {
    "awsInstanceID": "string",
    "fqdn": "string",
    "hostname": "string",
    "vmWareUuid": "string"
  },
  "lastUpdatedDateTime": "string",
  "networkInterfaces": [
    {
      "id": "string",
      "macAddress": "string",
      "privateIpAddress": "string",
      "publicIpAddress": "string"
    }
  ]
}
```

```
        "ips": [ "string" ],
        "isPrimary": boolean,
        "macAddress": "string"
    }
],
"os": {
    "fullString": "string"
},
"ramBytes": number,
"recommendedInstanceType": "string"
},
"sourceServerID": "string",
"stagingArea": {
    "errorMessage": "string",
    "stagingAccountID": "string",
    "stagingSourceServerArn": "string",
    "status": "string"
},
"tags": {
    "string" : "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[arn \(p. 44\)](#)

The ARN of the Source Server.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:.{16,2044}\$

[dataReplicationInfo \(p. 44\)](#)

The Data Replication Info of the Source Server.

Type: [DataReplicationInfo \(p. 129\)](#) object

[lastLaunchResult \(p. 44\)](#)

The status of the last recovery launch of this Source Server.

Type: String

Valid Values: NOT_STARTED | PENDING | SUCCEEDED | FAILED

[lifeCycle \(p. 44\)](#)

The lifecycle information of this Source Server.

Type: [LifeCycle \(p. 147\)](#) object

[recoveryInstanceId \(p. 44\)](#)

The ID of the Recovery Instance associated with this Source Server.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 19.

Pattern: ^i-[0-9a-fA-F]{8,}\$\$

[replicationDirection \(p. 44\)](#)

Replication direction of the Source Server.

Type: String

Valid Values: FAILOVER | FAILBACK

[reversedDirectionSourceServerArn \(p. 44\)](#)

For EC2-originated Source Servers which have been failed over and then failed back, this value will mean the ARN of the Source Server on the opposite replication direction.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:(?:[0-9a-zA-Z_-]+:){3}([0-9]{12,}):source-server/(s-[0-9a-zA-Z]{17})\$\$

[sourceCloudProperties \(p. 44\)](#)

Source cloud properties of the Source Server.

Type: [SourceCloudProperties \(p. 179\)](#) object

[sourceProperties \(p. 44\)](#)

The source properties of the Source Server.

Type: [SourceProperties \(p. 180\)](#) object

[sourceServerID \(p. 44\)](#)

The ID of the Source Server.

Type: String

Length Constraints: Fixed length of 19.

Pattern: ^s-[0-9a-zA-Z]{17}\$\$

[stagingArea \(p. 44\)](#)

The staging area of the source server.

Type: [StagingArea \(p. 185\)](#) object

[tags \(p. 44\)](#)

The tags associated with the Source Server.

Type: String to string map

Key Length Constraints: Minimum length of 0. Maximum length of 256.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

ConflictException

The request could not be completed due to a conflict with the current state of the target resource.

HTTP Status Code: 409

InternalServerException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

The resource for this operation was not found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetFallbackReplicationConfiguration

Lists all Fallback ReplicationConfigurations, filtered by Recovery Instance ID.

Request Syntax

```
POST /GetFallbackReplicationConfiguration HTTP/1.1
Content-type: application/json

{
    "recoveryInstanceID": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

recoveryInstanceID (p. 49)

The ID of the Recovery Instance whose fallback replication configuration should be returned.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 19.

Pattern: ^i-[0-9a-fA-F]{8,} \$

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "bandwidthThrottling": number,
    "name": string,
    "recoveryInstanceID": string,
    "usePrivateIP": boolean
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

bandwidthThrottling (p. 49)

Configure bandwidth throttling for the outbound data transfer rate of the Recovery Instance in Mbps.

Type: Long

Valid Range: Minimum value of 0.

[name \(p. 49\)](#)

The name of the Fallback Replication Configuration.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

[recoveryInstanceId \(p. 49\)](#)

The ID of the Recovery Instance.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 19.

Pattern: ^i-[0-9a-fA-F]{8,} \$

[usePrivateIP \(p. 49\)](#)

Whether to use Private IP for the fallback replication of the Recovery Instance.

Type: Boolean

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

InternalServerError

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

The resource for this operation was not found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetLaunchConfiguration

Gets a LaunchConfiguration, filtered by Source Server IDs.

Request Syntax

```
POST /GetLaunchConfiguration HTTP/1.1
Content-type: application/json

{
    "sourceServerID": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

sourceServerID (p. 52)

The ID of the Source Server that we want to retrieve a Launch Configuration for.

Type: String

Length Constraints: Fixed length of 19.

Pattern: ^s-[0-9a-zA-Z]{17}\$

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "copyPrivateIp": boolean,
    "copyTags": boolean,
    "ec2LaunchTemplateID": "string",
    "launchDisposition": "string",
    "licensing": {
        "osByol": boolean
    },
    "name": "string",
    "sourceServerID": "string",
    "targetInstanceTypeRightSizingMethod": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[copyPrivateIp \(p. 52\)](#)

Whether we should copy the Private IP of the Source Server to the Recovery Instance.

Type: Boolean

[copyTags \(p. 52\)](#)

Whether we want to copy the tags of the Source Server to the EC2 machine of the Recovery Instance.

Type: Boolean

[ec2LaunchTemplateID \(p. 52\)](#)

The EC2 launch template ID of this launch configuration.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

[launchDisposition \(p. 52\)](#)

The state of the Recovery Instance in EC2 after the recovery operation.

Type: String

Valid Values: STOPPED | STARTED

[licensing \(p. 52\)](#)

The licensing configuration to be used for this launch configuration.

Type: [Licensing \(p. 146\)](#) object

[name \(p. 52\)](#)

The name of the launch configuration.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

[sourceServerID \(p. 52\)](#)

The ID of the Source Server for this launch configuration.

Type: String

Length Constraints: Fixed length of 19.

Pattern: ^s-[0-9a-zA-Z]{17}\$

[targetInstanceTypeRightSizingMethod \(p. 52\)](#)

Whether Elastic Disaster Recovery should try to automatically choose the instance type that best matches the OS, CPU, and RAM of your Source Server.

Type: String

Valid Values: NONE | BASIC

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

InternalServerError

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

The resource for this operation was not found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetReplicationConfiguration

Gets a ReplicationConfiguration, filtered by Source Server ID.

Request Syntax

```
POST /GetReplicationConfiguration HTTP/1.1
Content-type: application/json

{
    "sourceServerID": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

sourceServerID (p. 55)

The ID of the Source Serve for this Replication Configuration.r

Type: String

Length Constraints: Fixed length of 19.

Pattern: ^s-[0-9a-zA-Z]{17}\$

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "associateDefaultSecurityGroup": boolean,
    "bandwidthThrottling": number,
    "createPublicIP": boolean,
    "dataPlaneRouting": "string",
    "defaultLargeStagingDiskType": "string",
    "ebsEncryption": "string",
    "ebsEncryptionKeyArn": "string",
    "name": "string",
    "pitPolicy": [
        {
            "enabled": boolean,
            "interval": number,
            "retentionDuration": number,
            "ruleID": number,
            "units": "string"
        }
    ]
}
```

```
],
  "replicatedDisks": [
    {
      "deviceName": "string",
      "iops": number,
      "isBootDisk": boolean,
      "optimizedStagingDiskType": "string",
      "stagingDiskType": "string",
      "throughput": number
    }
  ],
  "replicationServerInstanceType": "string",
  "replicationServersSecurityGroupIDs": [ "string" ],
  "sourceServerID": "string",
  "stagingAreaSubnetId": "string",
  "stagingAreaTags": {
    "string" : "string"
  },
  "useDedicatedReplicationServer": boolean
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[associateDefaultSecurityGroup \(p. 55\)](#)

Whether to associate the default Elastic Disaster Recovery Security group with the Replication Configuration.

Type: Boolean

[bandwidthThrottling \(p. 55\)](#)

Configure bandwidth throttling for the outbound data transfer rate of the Source Server in Mbps.

Type: Long

Valid Range: Minimum value of 0.

[createPublicIP \(p. 55\)](#)

Whether to create a Public IP for the Recovery Instance by default.

Type: Boolean

[dataPlaneRouting \(p. 55\)](#)

The data plane routing mechanism that will be used for replication.

Type: String

Valid Values: PRIVATE_IP | PUBLIC_IP

[defaultLargeStagingDiskType \(p. 55\)](#)

The Staging Disk EBS volume type to be used during replication.

Type: String

Valid Values: GP2 | GP3 | ST1 | AUTO

[ebsEncryption \(p. 55\)](#)

The type of EBS encryption to be used during replication.

Type: String

Valid Values: DEFAULT | CUSTOM

[ebsEncryptionKeyArn \(p. 55\)](#)

The ARN of the EBS encryption key to be used during replication.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:.{16,2044}\$

[name \(p. 55\)](#)

The name of the Replication Configuration.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

[pitPolicy \(p. 55\)](#)

The Point in time (PIT) policy to manage snapshots taken during replication.

Type: Array of [PITPolicyRule \(p. 154\)](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

[replicatedDisks \(p. 55\)](#)

The configuration of the disks of the Source Server to be replicated.

Type: Array of [ReplicationConfigurationReplicatedDisk \(p. 174\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 60 items.

[replicationServerInstanceType \(p. 55\)](#)

The instance type to be used for the replication server.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

[replicationServersSecurityGroupsIDs \(p. 55\)](#)

The security group IDs that will be used by the replication server.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 32 items.

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: ^sg-[0-9a-fA-F]{8,}\$

[sourceServerID \(p. 55\)](#)

The ID of the Source Server for this Replication Configuration.

Type: String

Length Constraints: Fixed length of 19.

Pattern: ^s-[0-9a-zA-Z]{17}\$

[stagingAreaSubnetId \(p. 55\)](#)

The subnet to be used by the replication staging area.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: ^subnet-[0-9a-fA-F]{8,}\$

[stagingAreaTags \(p. 55\)](#)

A set of tags to be associated with all resources created in the replication staging area: EC2 replication server, EBS volumes, EBS snapshots, etc.

Type: String to string map

Key Length Constraints: Minimum length of 0. Maximum length of 256.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

[useDedicatedReplicationServer \(p. 55\)](#)

Whether to use a dedicated Replication Server in the replication staging area.

Type: Boolean

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

The resource for this operation was not found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

InitializeService

Initialize Elastic Disaster Recovery.

Request Syntax

```
POST /InitializeService HTTP/1.1
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by the AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListExtensibleSourceServers

Returns a list of source servers on a staging account that are extensible, which means that: a. The source server is not already extended into this Account. b. The source server on the Account we're reading from is not an extension of another source server.

Request Syntax

```
POST /ListExtensibleSourceServers HTTP/1.1
Content-type: application/json

{
    "maxResults": number,
    "nextToken": string,
    "stagingAccountID": string
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

maxResults (p. 62)

The maximum number of extensible source servers to retrieve.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 300.

Required: No

nextToken (p. 62)

The token of the next extensible source server to retrieve.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

stagingAccountID (p. 62)

The Id of the staging Account to retrieve extensible source servers from.

Type: String

Length Constraints: Fixed length of 12.

Pattern: [0-9]{12,}

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "items": [
        {
            "arn": "string",
            "hostname": "string",
            "tags": {
                "string" : "string"
            }
        }
    ],
    "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[items \(p. 63\)](#)

A list of source servers on a staging Account that are extensible.

Type: Array of [StagingSourceServer \(p. 187\)](#) objects

[nextToken \(p. 63\)](#)

The token of the next extensible source server to retrieve.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

ValidationException

The input fails to satisfy the constraints specified by the AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListStagingAccounts

Returns an array of staging accounts for existing extended source servers.

Request Syntax

```
GET /ListStagingAccounts?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults (p. 65)

The maximum number of staging Accounts to retrieve.

Valid Range: Minimum value of 1. Maximum value of 50.

nextToken (p. 65)

The token of the next staging Account to retrieve.

Length Constraints: Minimum length of 0. Maximum length of 2048.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "accounts": [
    {
      "accountID": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

accounts (p. 65)

An array of staging AWS Accounts.

Type: Array of [Account \(p. 124\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

[nextToken \(p. 65\)](#)

The token of the next staging Account to retrieve.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

ValidationException

The input fails to satisfy the constraints specified by the AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

List all tags for your Elastic Disaster Recovery resources.

Request Syntax

```
GET /tags/resourceArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[resourceArn \(p. 67\)](#)

The ARN of the resource whose tags should be returned.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:.{16,2044}\$

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "tags": [
    {
      "string" : "string"
    }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[tags \(p. 67\)](#)

The tags of the requested resource.

Type: String to string map

Key Length Constraints: Minimum length of 0. Maximum length of 256.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

The resource for this operation was not found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by the AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RetryDataReplication

Causes the data replication initiation sequence to begin immediately upon next Handshake for the specified Source Server ID, regardless of when the previous initiation started. This command will work only if the Source Server is stalled or is in a DISCONNECTED or STOPPED state.

Request Syntax

```
POST /RetryDataReplication HTTP/1.1
Content-type: application/json

{
    "sourceServerID": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

sourceServerID (p. 69)

The ID of the Source Server whose data replication should be retried.

Type: String

Length Constraints: Fixed length of 19.

Pattern: ^s-[0-9a-zA-Z]{17}\$

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "arn": "string",
    "dataReplicationInfo": {
        "dataReplicationError": {
            "error": "string",
            "rawError": "string"
        },
        "dataReplicationInitiation": {
            "nextAttemptDateTime": "string",
            "startDateTime": "string",
            "steps": [
                {
                    "name": "string",
                    "status": "string"
                }
            ]
        }
    }
}
```

```
        },
        "dataReplicationState": "string",
        "etaDateTime": "string",
        "lagDuration": "string",
        "replicatedDisks": [
            {
                "backloggedStorageBytes": number,
                "deviceName": "string",
                "replicatedStorageBytes": number,
                "rescannedStorageBytes": number,
                "totalStorageBytes": number
            }
        ]
    },
    "lastLaunchResult": "string",
    "lifeCycle": {
        "addedToServiceDateTime": "string",
        "elapsedReplicationDuration": "string",
        "firstByteDateTime": "string",
        "lastLaunch": {
            "initiated": {
                "apiCallDateTime": "string",
                "jobID": "string",
                "type": "string"
            }
        },
        "lastSeenByServiceDateTime": "string"
    },
    "recoveryInstanceId": "string",
    "replicationDirection": "string",
    "reversedDirectionSourceServerArn": "string",
    "sourceCloudProperties": {
        "originAccountID": "string",
        "originAvailabilityZone": "string",
        "originRegion": "string"
    },
    "sourceProperties": {
        "cpus": [
            {
                "cores": number,
                "modelName": "string"
            }
        ],
        "disks": [
            {
                "bytes": number,
                "deviceName": "string"
            }
        ],
        "identificationHints": {
            "awsInstanceId": "string",
            "fqdn": "string",
            "hostname": "string",
            "vmWareUuid": "string"
        },
        "lastUpdatedDateTime": "string",
        "networkInterfaces": [
            {
                "ips": [ "string" ],
                "isPrimary": boolean,
                "macAddress": "string"
            }
        ],
        "os": {
            "fullString": "string"
        }
    }
},
```

```
        "ramBytes": number,
        "recommendedInstanceType": "string"
    },
    "sourceServerID": "string",
    "stagingArea": {
        "errorMessage": "string",
        "stagingAccountID": "string",
        "stagingSourceServerArn": "string",
        "status": "string"
    },
    "tags": {
        "string : "string"
    }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[arn \(p. 69\)](#)

The ARN of the Source Server.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:.{16,2044}\$

[dataReplicationInfo \(p. 69\)](#)

The Data Replication Info of the Source Server.

Type: [DataReplicationInfo \(p. 129\)](#) object

[lastLaunchResult \(p. 69\)](#)

The status of the last recovery launch of this Source Server.

Type: String

Valid Values: NOT_STARTED | PENDING | SUCCEEDED | FAILED

[lifeCycle \(p. 69\)](#)

The lifecycle information of this Source Server.

Type: [LifeCycle \(p. 147\)](#) object

[recoveryInstanceId \(p. 69\)](#)

The ID of the Recovery Instance associated with this Source Server.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 19.

Pattern: ^i-[0-9a-fA-F]{8,}\$

[replicationDirection \(p. 69\)](#)

Replication direction of the Source Server.

Type: String

Valid Values: FAILOVER | FAILBACK

[reversedDirectionSourceServerArn \(p. 69\)](#)

For EC2-originated Source Servers which have been failed over and then failed back, this value will mean the ARN of the Source Server on the opposite replication direction.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:(?:[0-9a-zA-Z_-]+:){3}([0-9]{12},):source-server/(s-[0-9a-zA-Z]{17})\$

[sourceCloudProperties \(p. 69\)](#)

Source cloud properties of the Source Server.

Type: [SourceCloudProperties \(p. 179\)](#) object

[sourceProperties \(p. 69\)](#)

The source properties of the Source Server.

Type: [SourceProperties \(p. 180\)](#) object

[sourceServerID \(p. 69\)](#)

The ID of the Source Server.

Type: String

Length Constraints: Fixed length of 19.

Pattern: ^s-[0-9a-zA-Z]{17}\$

[stagingArea \(p. 69\)](#)

The staging area of the source server.

Type: [StagingArea \(p. 185\)](#) object

[tags \(p. 69\)](#)

The tags associated with the Source Server.

Type: String to string map

Key Length Constraints: Minimum length of 0. Maximum length of 256.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

InternalServerError

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

The resource for this operation was not found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

ValidationException

The input fails to satisfy the constraints specified by the AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ReverseReplication

Start replication to origin / target region - applies only to protected instances that originated in EC2. For recovery instances on target region - starts replication back to origin region. For fallback instances on origin region - starts replication to target region to re-protect them.

Request Syntax

```
POST /ReverseReplication HTTP/1.1
Content-type: application/json

{
    "recoveryInstanceID": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[recoveryInstanceID \(p. 74\)](#)

The ID of the Recovery Instance that we want to reverse the replication for.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 19.

Pattern: ^i-[0-9a-fA-F]{8,} \$

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "reversedDirectionSourceServerArn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[reversedDirectionSourceServerArn \(p. 74\)](#)

ARN of created SourceServer.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:(?:[0-9a-zA-Z_-]+:){3}([0-9]{12,}):source-server/(s-[0-9a-zA-Z]{17})\$

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

The request could not be completed due to a conflict with the current state of the target resource.

HTTP Status Code: 409

InternalServerException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

The resource for this operation was not found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

ValidationException

The input fails to satisfy the constraints specified by the AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartFallbackLaunch

Initiates a Job for launching the machine that is being failed back to from the specified Recovery Instance. This will run conversion on the fallback client and will reboot your machine, thus completing the failback process.

Request Syntax

```
POST /StartFallbackLaunch HTTP/1.1
Content-type: application/json

{
    "recoveryInstanceIDs": [ "string" ],
    "tags": {
        "string" : "string"
    }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[recoveryInstanceIDs \(p. 77\)](#)

The IDs of the Recovery Instance whose failback launch we want to request.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 200 items.

Length Constraints: Minimum length of 10. Maximum length of 19.

Pattern: ^i-[0-9a-fA-F]{8,} \$

Required: Yes

[tags \(p. 77\)](#)

The tags to be associated with the failback launch Job.

Type: String to string map

Key Length Constraints: Minimum length of 0. Maximum length of 256.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{  
  "job": {  
    "arn": "string",  
    "creationDateTime": "string",  
    "endDateTime": "string",  
    "initiatedBy": "string",  
    "jobID": "string",  
    "participatingServers": [  
      {  
        "launchStatus": "string",  
        "recoveryInstanceID": "string",  
        "sourceServerID": "string"  
      }  
    ],  
    "status": "string",  
    "tags": {  
      "string" : "string"  
    },  
    "type": "string"  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

job (p. 77)

The fallback launch Job.

Type: [Job \(p. 141\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

ConflictException

The request could not be completed due to a conflict with the current state of the target resource.

HTTP Status Code: 409

InternalServerException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ServiceQuotaExceededException

The request could not be completed because its exceeded the service quota.

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

ValidationException

The input fails to satisfy the constraints specified by the AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartRecovery

Launches Recovery Instances for the specified Source Servers. For each Source Server you may choose a point in time snapshot to launch from, or use an on demand snapshot.

Request Syntax

```
POST /StartRecovery HTTP/1.1
Content-type: application/json

{
  "isDrill": boolean,
  "sourceServers": [
    {
      "recoverySnapshotID": "string",
      "sourceServerID": "string"
    }
  ],
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[isDrill \(p. 80\)](#)

Whether this Source Server Recovery operation is a drill or not.

Type: Boolean

Required: No

[sourceServers \(p. 80\)](#)

The Source Servers that we want to start a Recovery Job for.

Type: Array of [StartRecoveryRequestSourceServer \(p. 188\)](#) objects

Array Members: Minimum number of 1 item. Maximum number of 200 items.

Required: Yes

[tags \(p. 80\)](#)

The tags to be associated with the Recovery Job.

Type: String to string map

Key Length Constraints: Minimum length of 0. Maximum length of 256.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "job": {
    "arn": "string",
    "creationDateTime": "string",
    "endDateTime": "string",
    "initiatedBy": "string",
    "jobID": "string",
    "participatingServers": [
      {
        "launchStatus": "string",
        "recoveryInstanceID": "string",
        "sourceServerID": "string"
      }
    ],
    "status": "string",
    "tags": {
      "string" : "string"
    },
    "type": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

job (p. 81)

The Recovery Job.

Type: [Job \(p. 141\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

ConflictException

The request could not be completed due to a conflict with the current state of the target resource.

HTTP Status Code: 409

InternalServerError

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ServiceQuotaExceededException

The request could not be completed because its exceeded the service quota.

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartReplication

Starts replication for a stopped Source Server. This action would make the Source Server protected again and restart billing for it.

Request Syntax

```
POST /StartReplication HTTP/1.1
Content-type: application/json

{
    "sourceServerID": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

sourceServerID (p. 83)

The ID of the Source Server to start replication for.

Type: String

Length Constraints: Fixed length of 19.

Pattern: ^s-[0-9a-zA-Z]{17}\$

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "sourceServer": {
        "arn": "string",
        "dataReplicationInfo": {
            "dataReplicationError": {
                "error": "string",
                "rawError": "string"
            },
            "dataReplicationInitiation": {
                "nextAttemptDateTime": "string",
                "startDateTime": "string",
                "steps": [
                    {
                        "name": "string",
                        "status": "string"
                    }
                ]
            }
        }
    }
}
```

```
        ],
      },
      "dataReplicationState": "string",
      "etaDateTime": "string",
      "lagDuration": "string",
      "replicatedDisks": [
        {
          "backloggedStorageBytes": number,
          "deviceName": "string",
          "replicatedStorageBytes": number,
          "rescannedStorageBytes": number,
          "totalStorageBytes": number
        }
      ]
    },
    "lastLaunchResult": "string",
    "lifeCycle": {
      "addedToServiceDateTime": "string",
      "elapsedReplicationDuration": "string",
      "firstByteDateTime": "string",
      "lastLaunch": {
        "initiated": {
          "apiCallDateTime": "string",
          "jobID": "string",
          "type": "string"
        }
      },
      "lastSeenByServiceDateTime": "string"
    },
    "recoveryInstanceId": "string",
    "replicationDirection": "string",
    "reversedDirectionSourceServerArn": "string",
    "sourceCloudProperties": {
      "originAccountID": "string",
      "originAvailabilityZone": "string",
      "originRegion": "string"
    },
    "sourceProperties": {
      "cpus": [
        {
          "cores": number,
          "modelName": "string"
        }
      ],
      "disks": [
        {
          "bytes": number,
          "deviceName": "string"
        }
      ],
      "identificationHints": {
        "awsInstanceId": "string",
        "fqdn": "string",
        "hostname": "string",
        "vmWareUuid": "string"
      },
      "lastUpdatedDateTime": "string",
      "networkInterfaces": [
        {
          "ips": [ "string" ],
          "isPrimary": boolean,
          "macAddress": "string"
        }
      ],
      "os": {
        "fullString": "string"
      }
    }
  }
}
```

```
        },
        "ramBytes": number,
        "recommendedInstanceType": "string"
    },
    "sourceServerID": "string",
    "stagingArea": {
        "errorMessage": "string",
        "stagingAccountID": "string",
        "stagingSourceServerArn": "string",
        "status": "string"
    },
    "tags": {
        "string": "string"
    }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

sourceServer (p. 83)

The Source Server that this action was targeted on.

Type: [SourceServer \(p. 182\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

ConflictException

The request could not be completed due to a conflict with the current state of the target resource.

HTTP Status Code: 409

InternalServerError

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

The resource for this operation was not found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StopFallback

Stops the failback process for a specified Recovery Instance. This changes the Failback State of the Recovery Instance back to FAILBACK_NOT_STARTED.

Request Syntax

```
POST /StopFallback HTTP/1.1
Content-type: application/json

{
    "recoveryInstanceID": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[recoveryInstanceID \(p. 87\)](#)

The ID of the Recovery Instance we want to stop failback for.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 19.

Pattern: ^i-[0-9a-fA-F]{8,} \$

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

InternalServerError

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

The resource for this operation was not found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StopReplication

Stops replication for a Source Server. This action would make the Source Server unprotected, delete its existing snapshots and stop billing for it.

Request Syntax

```
POST /StopReplication HTTP/1.1
Content-type: application/json

{
    "sourceServerID": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

sourceServerID (p. 89)

The ID of the Source Server to stop replication for.

Type: String

Length Constraints: Fixed length of 19.

Pattern: ^s-[0-9a-zA-Z]{17}\$

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "sourceServer": {
        "arn": "string",
        "dataReplicationInfo": {
            "dataReplicationError": {
                "error": "string",
                "rawError": "string"
            },
            "dataReplicationInitiation": {
                "nextAttemptDateTime": "string",
                "startDateTime": "string",
                "steps": [
                    {
                        "name": "string",
                        "status": "string"
                    }
                ]
            }
        }
    }
}
```

```
        ],
    },
    "dataReplicationState": "string",
    "etaDateTime": "string",
    "lagDuration": "string",
    "replicatedDisks": [
        {
            "backloggedStorageBytes": number,
            "deviceName": "string",
            "replicatedStorageBytes": number,
            "rescannedStorageBytes": number,
            "totalStorageBytes": number
        }
    ]
},
"lastLaunchResult": "string",
"lifeCycle": {
    "addedToServiceDateTime": "string",
    "elapsedReplicationDuration": "string",
    "firstByteDateTime": "string",
    "lastLaunch": {
        "initiated": {
            "apiCallDateTime": "string",
            "jobID": "string",
            "type": "string"
        }
    },
    "lastSeenByServiceDateTime": "string"
},
"recoveryInstanceId": "string",
"replicationDirection": "string",
"reversedDirectionSourceServerArn": "string",
"sourceCloudProperties": {
    "originAccountID": "string",
    "originAvailabilityZone": "string",
    "originRegion": "string"
},
"sourceProperties": {
    "cpus": [
        {
            "cores": number,
            "modelName": "string"
        }
    ],
    "disks": [
        {
            "bytes": number,
            "deviceName": "string"
        }
    ],
    "identificationHints": {
        "awsInstanceId": "string",
        "fqdn": "string",
        "hostname": "string",
        "vmWareUuid": "string"
    },
    "lastUpdatedDateTime": "string",
    "networkInterfaces": [
        {
            "ips": [ "string" ],
            "isPrimary": boolean,
            "macAddress": "string"
        }
    ],
    "os": {
        "fullString": "string"
    }
}
```

```
        },
        "ramBytes": number,
        "recommendedInstanceType": "string"
    },
    "sourceServerID": "string",
    "stagingArea": {
        "errorMessage": "string",
        "stagingAccountID": "string",
        "stagingSourceServerArn": "string",
        "status": "string"
    },
    "tags": {
        "string": "string"
    }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

sourceServer (p. 89)

The Source Server that this action was targeted on.

Type: [SourceServer \(p. 182\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

ConflictException

The request could not be completed due to a conflict with the current state of the target resource.

HTTP Status Code: 409

InternalServerError

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

The resource for this operation was not found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Adds or overwrites only the specified tags for the specified Elastic Disaster Recovery resource or resources. When you specify an existing tag key, the value is overwritten with the new value. Each resource can have a maximum of 50 tags. Each tag consists of a key and optional value.

Request Syntax

```
POST /tags/resourceArn HTTP/1.1
Content-type: application/json

{
  "tags": [
    "string : "string"
  ]
}
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn (p. 93)

ARN of the resource for which tags are to be added or updated.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:.{16,2044}\$

Required: Yes

Request Body

The request accepts the following data in JSON format.

tags (p. 93)

Array of tags to be added or updated.

Type: String to string map

Key Length Constraints: Minimum length of 0. Maximum length of 256.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

The resource for this operation was not found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by the AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TerminateRecoveryInstances

Initiates a Job for terminating the EC2 resources associated with the specified Recovery Instances, and then will delete the Recovery Instances from the Elastic Disaster Recovery service.

Request Syntax

```
POST /TerminateRecoveryInstances HTTP/1.1
Content-type: application/json

{
    "recoveryInstanceIDs": [ "string" ]
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

recoveryInstanceIDs (p. 95)

The IDs of the Recovery Instances that should be terminated.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 200 items.

Length Constraints: Minimum length of 10. Maximum length of 19.

Pattern: ^i-[0-9a-fA-F]{8,} \$

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "job": {
        "arn": "string",
        "creationDateTime": "string",
        "endDateTime": "string",
        "initiatedBy": "string",
        "jobID": "string",
        "participatingServers": [
            {
                "launchStatus": "string",
                "recoveryInstanceID": "string",
                "sourceServerID": "string"
            }
        ],
        "status": "string",
    }
}
```

```
    "tags": {  
        "string" : "string"  
    },  
    "type": "string"  
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[job \(p. 95\)](#)

The Job for terminating the Recovery Instances.

Type: [Job \(p. 141\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

ConflictException

The request could not be completed due to a conflict with the current state of the target resource.

HTTP Status Code: 409

InternalServerError

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ServiceQuotaExceededException

The request could not be completed because its exceeded the service quota.

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Deletes the specified set of tags from the specified set of Elastic Disaster Recovery resources.

Request Syntax

```
DELETE /tags/resourceArn?tagKeys=tagKeys HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[resourceArn \(p. 98\)](#)

ARN of the resource for which tags are to be removed.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:.{16,2044}\$

Required: Yes

[tagKeys \(p. 98\)](#)

Array of tags to be removed.

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

The resource for this operation was not found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by the AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateFallbackReplicationConfiguration

Allows you to update the fallback replication configuration of a Recovery Instance by ID.

Request Syntax

```
POST /UpdateFallbackReplicationConfiguration HTTP/1.1
Content-type: application/json

{
    "bandwidthThrottling": number,
    "name": "string",
    "recoveryInstanceID": "string",
    "usePrivateIP": boolean
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

bandwidthThrottling (p. 100)

Configure bandwidth throttling for the outbound data transfer rate of the Recovery Instance in Mbps.

Type: Long

Valid Range: Minimum value of 0.

Required: No

name (p. 100)

The name of the Fallback Replication Configuration.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

recoveryInstanceID (p. 100)

The ID of the Recovery Instance.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 19.

Pattern: ^i-[0-9a-fA-F]{8,} \$

Required: Yes

usePrivateIP (p. 100)

Whether to use Private IP for the fallback replication of the Recovery Instance.

Type: Boolean

Required: No

Response Syntax

HTTP/1.1 200

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

The resource for this operation was not found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateLaunchConfiguration

Updates a LaunchConfiguration by Source Server ID.

Request Syntax

```
POST /UpdateLaunchConfiguration HTTP/1.1
Content-type: application/json

{
    "copyPrivateIp": boolean,
    "copyTags": boolean,
    "launchDisposition": "string",
    "licensing": {
        "osByol": boolean
    },
    "name": "string",
    "sourceServerID": "string",
    "targetInstanceTypeRightSizingMethod": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[copyPrivateIp \(p. 103\)](#)

Whether we should copy the Private IP of the Source Server to the Recovery Instance.

Type: Boolean

Required: No

[copyTags \(p. 103\)](#)

Whether we want to copy the tags of the Source Server to the EC2 machine of the Recovery Instance.

Type: Boolean

Required: No

[launchDisposition \(p. 103\)](#)

The state of the Recovery Instance in EC2 after the recovery operation.

Type: String

Valid Values: STOPPED | STARTED

Required: No

[licensing \(p. 103\)](#)

The licensing configuration to be used for this launch configuration.

Type: [Licensing \(p. 146\)](#) object

Required: No

[name \(p. 103\)](#)

The name of the launch configuration.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Required: No

[sourceServerID \(p. 103\)](#)

The ID of the Source Server that we want to retrieve a Launch Configuration for.

Type: String

Length Constraints: Fixed length of 19.

Pattern: ^s-[0-9a-zA-Z]{17}\$

Required: Yes

[targetInstanceTypeRightSizingMethod \(p. 103\)](#)

Whether Elastic Disaster Recovery should try to automatically choose the instance type that best matches the OS, CPU, and RAM of your Source Server.

Type: String

Valid Values: NONE | BASIC

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "copyPrivateIp": boolean,
  "copyTags": boolean,
  "ec2LaunchTemplateID": "string",
  "launchDisposition": "string",
  "licensing": {
    "osByol": boolean
  },
  "name": "string",
  "sourceServerID": "string",
  "targetInstanceTypeRightSizingMethod": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[copyPrivateIp \(p. 104\)](#)

Whether we should copy the Private IP of the Source Server to the Recovery Instance.

Type: Boolean

[copyTags \(p. 104\)](#)

Whether we want to copy the tags of the Source Server to the EC2 machine of the Recovery Instance.

Type: Boolean

[ec2LaunchTemplateID \(p. 104\)](#)

The EC2 launch template ID of this launch configuration.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

[launchDisposition \(p. 104\)](#)

The state of the Recovery Instance in EC2 after the recovery operation.

Type: String

Valid Values: STOPPED | STARTED

[licensing \(p. 104\)](#)

The licensing configuration to be used for this launch configuration.

Type: [Licensing \(p. 146\)](#) object

[name \(p. 104\)](#)

The name of the launch configuration.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

[sourceServerID \(p. 104\)](#)

The ID of the Source Server for this launch configuration.

Type: String

Length Constraints: Fixed length of 19.

Pattern: ^s-[0-9a-zA-Z]{17}\$

[targetInstanceTypeRightSizingMethod \(p. 104\)](#)

Whether Elastic Disaster Recovery should try to automatically choose the instance type that best matches the OS, CPU, and RAM of your Source Server.

Type: String

Valid Values: NONE | BASIC

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

ConflictException

The request could not be completed due to a conflict with the current state of the target resource.

HTTP Status Code: 409

InternalServerException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

The resource for this operation was not found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

ValidationException

The input fails to satisfy the constraints specified by the AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateReplicationConfiguration

Allows you to update a ReplicationConfiguration by Source Server ID.

Request Syntax

```
POST /UpdateReplicationConfiguration HTTP/1.1
Content-type: application/json

{
    "associateDefaultSecurityGroup": boolean,
    "bandwidthThrottling": number,
    "createPublicIP": boolean,
    "dataPlaneRouting": string,
    "defaultLargeStagingDiskType": string,
    "ebsEncryption": string,
    "ebsEncryptionKeyArn": string,
    "name": string,
    "pitPolicy": [
        {
            "enabled": boolean,
            "interval": number,
            "retentionDuration": number,
            "ruleID": number,
            "units": string
        }
    ],
    "replicatedDisks": [
        {
            "deviceName": string,
            "iops": number,
            "isBootDisk": boolean,
            "optimizedStagingDiskType": string,
            "stagingDiskType": string,
            "throughput": number
        }
    ],
    "replicationServerInstanceType": string,
    "replicationServersSecurityGroupsIDs": [ string ],
    "sourceServerID": string,
    "stagingAreaSubnetId": string,
    "stagingAreaTags": {
        string : string
    },
    "useDedicatedReplicationServer": boolean
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

associateDefaultSecurityGroup (p. 107)

Whether to associate the default Elastic Disaster Recovery Security group with the Replication Configuration.

Type: Boolean

Required: No

[bandwidthThrottling \(p. 107\)](#)

Configure bandwidth throttling for the outbound data transfer rate of the Source Server in Mbps.

Type: Long

Valid Range: Minimum value of 0.

Required: No

[createPublicIP \(p. 107\)](#)

Whether to create a Public IP for the Recovery Instance by default.

Type: Boolean

Required: No

[dataPlaneRouting \(p. 107\)](#)

The data plane routing mechanism that will be used for replication.

Type: String

Valid Values: PRIVATE_IP | PUBLIC_IP

Required: No

[defaultLargeStagingDiskType \(p. 107\)](#)

The Staging Disk EBS volume type to be used during replication.

Type: String

Valid Values: GP2 | GP3 | ST1 | AUTO

Required: No

[ebsEncryption \(p. 107\)](#)

The type of EBS encryption to be used during replication.

Type: String

Valid Values: DEFAULT | CUSTOM

Required: No

[ebsEncryptionKeyArn \(p. 107\)](#)

The ARN of the EBS encryption key to be used during replication.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:.{16,2044}\$

Required: No

[name \(p. 107\)](#)

The name of the Replication Configuration.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Required: No

[pitPolicy \(p. 107\)](#)

The Point in time (PIT) policy to manage snapshots taken during replication.

Type: Array of [PITPolicyRule \(p. 154\)](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Required: No

[replicatedDisks \(p. 107\)](#)

The configuration of the disks of the Source Server to be replicated.

Type: Array of [ReplicationConfigurationReplicatedDisk \(p. 174\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 60 items.

Required: No

[replicationServerInstanceType \(p. 107\)](#)

The instance type to be used for the replication server.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

[replicationServersSecurityGroupIDs \(p. 107\)](#)

The security group IDs that will be used by the replication server.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 32 items.

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: ^sg-[0-9a-fA-F]{8,}\$

Required: No

[sourceServerID \(p. 107\)](#)

The ID of the Source Server for this Replication Configuration.

Type: String

Length Constraints: Fixed length of 19.

Pattern: ^s-[0-9a-zA-Z]{17}\$

Required: Yes

[stagingAreaSubnetId \(p. 107\)](#)

The subnet to be used by the replication staging area.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: ^subnet-[0-9a-fA-F]{8,} \$

Required: No

[stagingAreaTags \(p. 107\)](#)

A set of tags to be associated with all resources created in the replication staging area: EC2 replication server, EBS volumes, EBS snapshots, etc.

Type: String to string map

Key Length Constraints: Minimum length of 0. Maximum length of 256.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

[useDedicatedReplicationServer \(p. 107\)](#)

Whether to use a dedicated Replication Server in the replication staging area.

Type: Boolean

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "associateDefaultSecurityGroup": boolean,
  "bandwidthThrottling": number,
  "createPublicIP": boolean,
  "dataPlaneRouting": "string",
  "defaultLargeStagingDiskType": "string",
  "ebsEncryption": "string",
  "ebsEncryptionKeyArn": "string",
  "name": "string",
  "pitPolicy": [
    {
      "enabled": boolean,
      "interval": number,
      "retentionDuration": number,
      "ruleID": number,
      "units": "string"
    }
  ],
  "replicatedDisks": [
    {
      "deviceName": "string",
      "iops": number,
      "isBootDisk": boolean,
      "optimizedStagingDiskType": "string",
      "stagingDiskType": "string",
      "throughput": number
    }
  ],
  "replicationServerInstanceType": "string",
```

```
"replicationServersSecurityGroupsIDs": [ "string" ],  
"sourceServerID": "string",  
"stagingAreaSubnetId": "string",  
"stagingAreaTags": {  
    "string" : "string"  
},  
"useDedicatedReplicationServer": boolean  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[associateDefaultSecurityGroup \(p. 110\)](#)

Whether to associate the default Elastic Disaster Recovery Security group with the Replication Configuration.

Type: Boolean

[bandwidthThrottling \(p. 110\)](#)

Configure bandwidth throttling for the outbound data transfer rate of the Source Server in Mbps.

Type: Long

Valid Range: Minimum value of 0.

[createPublicIP \(p. 110\)](#)

Whether to create a Public IP for the Recovery Instance by default.

Type: Boolean

[dataPlaneRouting \(p. 110\)](#)

The data plane routing mechanism that will be used for replication.

Type: String

Valid Values: PRIVATE_IP | PUBLIC_IP

[defaultLargeStagingDiskType \(p. 110\)](#)

The Staging Disk EBS volume type to be used during replication.

Type: String

Valid Values: GP2 | GP3 | ST1 | AUTO

[ebsEncryption \(p. 110\)](#)

The type of EBS encryption to be used during replication.

Type: String

Valid Values: DEFAULT | CUSTOM

[ebsEncryptionKeyArn \(p. 110\)](#)

The ARN of the EBS encryption key to be used during replication.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:.{16,2044}\$

[name \(p. 110\)](#)

The name of the Replication Configuration.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

[pitPolicy \(p. 110\)](#)

The Point in time (PIT) policy to manage snapshots taken during replication.

Type: Array of [PITPolicyRule \(p. 154\)](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

[replicatedDisks \(p. 110\)](#)

The configuration of the disks of the Source Server to be replicated.

Type: Array of [ReplicationConfigurationReplicatedDisk \(p. 174\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 60 items.

[replicationServerInstanceType \(p. 110\)](#)

The instance type to be used for the replication server.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

[replicationServersSecurityGroupIDs \(p. 110\)](#)

The security group IDs that will be used by the replication server.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 32 items.

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: ^sg-[0-9a-fA-F]{8,}\$

[sourceServerID \(p. 110\)](#)

The ID of the Source Server for this Replication Configuration.

Type: String

Length Constraints: Fixed length of 19.

Pattern: ^s-[0-9a-zA-Z]{17}\$

[stagingAreaSubnetId \(p. 110\)](#)

The subnet to be used by the replication staging area.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: ^subnet-[0-9a-fA-F]{8,}\$\$

[stagingAreaTags \(p. 110\)](#)

A set of tags to be associated with all resources created in the replication staging area: EC2 replication server, EBS volumes, EBS snapshots, etc.

Type: String to string map

Key Length Constraints: Minimum length of 0. Maximum length of 256.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

[useDedicatedReplicationServer \(p. 110\)](#)

Whether to use a dedicated Replication Server in the replication staging area.

Type: Boolean

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

The request could not be completed due to a conflict with the current state of the target resource.

HTTP Status Code: 409

InternalServerError

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

The resource for this operation was not found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

ValidationException

The input fails to satisfy the constraints specified by the AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateReplicationConfigurationTemplate

Updates a ReplicationConfigurationTemplate by ID.

Request Syntax

```
POST /UpdateReplicationConfigurationTemplate HTTP/1.1
Content-type: application/json

{
    "arn": "string",
    "associateDefaultSecurityGroup": boolean,
    "bandwidthThrottling": number,
    "createPublicIP": boolean,
    "dataPlaneRouting": "string",
    "defaultLargeStagingDiskType": "string",
    "ebsEncryption": "string",
    "ebsEncryptionKeyArn": "string",
    "pitPolicy": [
        {
            "enabled": boolean,
            "interval": number,
            "retentionDuration": number,
            "ruleID": number,
            "units": "string"
        }
    ],
    "replicationConfigurationTemplateID": "string",
    "replicationServerInstanceType": "string",
    "replicationServersSecurityGroupsIDs": [ "string" ],
    "stagingAreaSubnetId": "string",
    "stagingAreaTags": {
        "string" : "string"
    },
    "useDedicatedReplicationServer": boolean
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

arn (p. 115)

The Replication Configuration Template ARN.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:.\{16,2044\}\$

Required: No

associateDefaultSecurityGroup (p. 115)

Whether to associate the default Elastic Disaster Recovery Security group with the Replication Configuration Template.

Type: Boolean

Required: No

[bandwidthThrottling \(p. 115\)](#)

Configure bandwidth throttling for the outbound data transfer rate of the Source Server in Mbps.

Type: Long

Valid Range: Minimum value of 0.

Required: No

[createPublicIP \(p. 115\)](#)

Whether to create a Public IP for the Recovery Instance by default.

Type: Boolean

Required: No

[dataPlaneRouting \(p. 115\)](#)

The data plane routing mechanism that will be used for replication.

Type: String

Valid Values: PRIVATE_IP | PUBLIC_IP

Required: No

[defaultLargeStagingDiskType \(p. 115\)](#)

The Staging Disk EBS volume type to be used during replication.

Type: String

Valid Values: GP2 | GP3 | ST1 | AUTO

Required: No

[ebsEncryption \(p. 115\)](#)

The type of EBS encryption to be used during replication.

Type: String

Valid Values: DEFAULT | CUSTOM

Required: No

[ebsEncryptionKeyArn \(p. 115\)](#)

The ARN of the EBS encryption key to be used during replication.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:.{16,2044}\$

Required: No

[pitPolicy \(p. 115\)](#)

The Point in time (PIT) policy to manage snapshots taken during replication.

Type: Array of [PITPolicyRule \(p. 154\)](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Required: No

[replicationConfigurationTemplateID \(p. 115\)](#)

The Replication Configuration Template ID.

Type: String

Length Constraints: Fixed length of 21.

Pattern: ^rct-[0-9a-zA-Z]{17}\$

Required: Yes

[replicationServerInstanceType \(p. 115\)](#)

The instance type to be used for the replication server.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

[replicationServersSecurityGroupsIDs \(p. 115\)](#)

The security group IDs that will be used by the replication server.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 32 items.

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: ^sg-[0-9a-fA-F]{8,}\$

Required: No

[stagingAreaSubnetId \(p. 115\)](#)

The subnet to be used by the replication staging area.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: ^subnet-[0-9a-fA-F]{8,}\$

Required: No

[stagingAreaTags \(p. 115\)](#)

A set of tags to be associated with all resources created in the replication staging area: EC2 replication server, EBS volumes, EBS snapshots, etc.

Type: String to string map

Key Length Constraints: Minimum length of 0. Maximum length of 256.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

[useDedicatedReplicationServer \(p. 115\)](#)

Whether to use a dedicated Replication Server in the replication staging area.

Type: Boolean

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "associateDefaultSecurityGroup": boolean,
  "bandwidthThrottling": number,
  "createPublicIP": boolean,
  "dataPlaneRouting": "string",
  "defaultLargeStagingDiskType": "string",
  "ebsEncryption": "string",
  "ebsEncryptionKeyArn": "string",
  "pitPolicy": [
    {
      "enabled": boolean,
      "interval": number,
      "retentionDuration": number,
      "ruleID": number,
      "units": "string"
    }
  ],
  "replicationConfigurationTemplateID": "string",
  "replicationServerInstanceType": "string",
  "replicationServersSecurityGroupsIDs": [ "string" ],
  "stagingAreaSubnetId": "string",
  "stagingAreaTags": {
    "string" : "string"
  },
  "tags": {
    "string" : "string"
  },
  "useDedicatedReplicationServer": boolean
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[arn \(p. 118\)](#)

The Replication Configuration Template ARN.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:.{16,2044}\$

[associateDefaultSecurityGroup \(p. 118\)](#)

Whether to associate the default Elastic Disaster Recovery Security group with the Replication Configuration Template.

Type: Boolean

[bandwidthThrottling \(p. 118\)](#)

Configure bandwidth throttling for the outbound data transfer rate of the Source Server in Mbps.

Type: Long

Valid Range: Minimum value of 0.

[createPublicIP \(p. 118\)](#)

Whether to create a Public IP for the Recovery Instance by default.

Type: Boolean

[dataPlaneRouting \(p. 118\)](#)

The data plane routing mechanism that will be used for replication.

Type: String

Valid Values: PRIVATE_IP | PUBLIC_IP

[defaultLargeStagingDiskType \(p. 118\)](#)

The Staging Disk EBS volume type to be used during replication.

Type: String

Valid Values: GP2 | GP3 | ST1 | AUTO

[ebsEncryption \(p. 118\)](#)

The type of EBS encryption to be used during replication.

Type: String

Valid Values: DEFAULT | CUSTOM

[ebsEncryptionKeyArn \(p. 118\)](#)

The ARN of the EBS encryption key to be used during replication.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:.{16,2044}\$

[pitPolicy \(p. 118\)](#)

The Point in time (PIT) policy to manage snapshots taken during replication.

Type: Array of [PITPolicyRule \(p. 154\)](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

[replicationConfigurationTemplateID \(p. 118\)](#)

The Replication Configuration Template ID.

Type: String

Length Constraints: Fixed length of 21.

Pattern: ^rct-[0-9a-zA-Z]{17}\$

[replicationServerInstanceType \(p. 118\)](#)

The instance type to be used for the replication server.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

[replicationServersSecurityGroupIDs \(p. 118\)](#)

The security group IDs that will be used by the replication server.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 32 items.

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: ^sg-[0-9a-fA-F]{8,}\$

[stagingAreaSubnetId \(p. 118\)](#)

The subnet to be used by the replication staging area.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: ^subnet-[0-9a-fA-F]{8,}\$

[stagingAreaTags \(p. 118\)](#)

A set of tags to be associated with all resources created in the replication staging area: EC2 replication server, EBS volumes, EBS snapshots, etc.

Type: String to string map

Key Length Constraints: Minimum length of 0. Maximum length of 256.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

[tags \(p. 118\)](#)

A set of tags to be associated with the Replication Configuration Template resource.

Type: String to string map

Key Length Constraints: Minimum length of 0. Maximum length of 256.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

[useDedicatedReplicationServer \(p. 118\)](#)

Whether to use a dedicated Replication Server in the replication staging area.

Type: Boolean

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 192\)](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

The resource for this operation was not found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

UninitializedAccountException

The account performing the request has not been initialized.

HTTP Status Code: 400

ValidationException

The input fails to satisfy the constraints specified by the AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The Elastic Disaster Recovery Service API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [Account \(p. 124\)](#)
- [ConversionProperties \(p. 125\)](#)
- [CPU \(p. 127\)](#)
- [DataReplicationError \(p. 128\)](#)
- [DataReplicationInfo \(p. 129\)](#)
- [DataReplicationInfoReplicatedDisk \(p. 131\)](#)
- [DataReplicationInitiation \(p. 133\)](#)
- [DataReplicationInitiationStep \(p. 134\)](#)
- [DescribeJobsRequestFilters \(p. 135\)](#)
- [DescribeRecoveryInstancesRequestFilters \(p. 136\)](#)
- [DescribeRecoverySnapshotsRequestFilters \(p. 137\)](#)
- [DescribeSourceServersRequestFilters \(p. 138\)](#)
- [Disk \(p. 139\)](#)
- [IdentificationHints \(p. 140\)](#)
- [Job \(p. 141\)](#)
- [JobLog \(p. 143\)](#)
- [JobLogEventData \(p. 144\)](#)
- [Licensing \(p. 146\)](#)
- [LifeCycle \(p. 147\)](#)
- [LifeCycleLastLaunch \(p. 149\)](#)
- [LifeCycleLastLaunchInitiated \(p. 150\)](#)
- [NetworkInterface \(p. 151\)](#)
- [OS \(p. 152\)](#)
- [ParticipatingServer \(p. 153\)](#)
- [PITPolicyRule \(p. 154\)](#)
- [RecoveryInstance \(p. 156\)](#)
- [RecoveryInstanceStateReplicationError \(p. 159\)](#)
- [RecoveryInstanceStateReplicationInfo \(p. 160\)](#)
- [RecoveryInstanceStateReplicationInfoReplicatedDisk \(p. 162\)](#)
- [RecoveryInstanceStateReplicationInitiation \(p. 164\)](#)
- [RecoveryInstanceStateReplicationInitiationStep \(p. 165\)](#)
- [RecoveryInstanceDisk \(p. 166\)](#)
- [RecoveryInstanceFallback \(p. 167\)](#)
- [RecoveryInstanceProperties \(p. 170\)](#)
- [RecoverySnapshot \(p. 172\)](#)

- [ReplicationConfigurationReplicatedDisk \(p. 174\)](#)
- [ReplicationConfigurationTemplate \(p. 176\)](#)
- [SourceCloudProperties \(p. 179\)](#)
- [SourceProperties \(p. 180\)](#)
- [SourceServer \(p. 182\)](#)
- [StagingArea \(p. 185\)](#)
- [StagingSourceServer \(p. 187\)](#)
- [StartRecoveryRequestSourceServer \(p. 188\)](#)
- [ValidationExceptionField \(p. 189\)](#)

Account

AWS account.

Contents

accountID

Account ID of AWS account.

Type: String

Length Constraints: Fixed length of 12.

Pattern: [0-9]{12,}

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ConversionProperties

Properties of a conversion job

Contents

dataTimestamp

The timestamp of when the snapshot being converted was taken

Type: String

Length Constraints: Minimum length of 0. Maximum length of 65536.

Required: No

forceUefi

Whether the volume being converted uses UEFI or not

Type: Boolean

Required: No

rootVolumeName

The root volume name of a conversion job

Type: String

Length Constraints: Minimum length of 0. Maximum length of 65536.

Required: No

volumeToConversionMap

A mapping between the volumes being converted and the converted snapshot ids

Type: String to string to string map map

Key Length Constraints: Minimum length of 0. Maximum length of 65536.

Key Pattern: ^snap-[0-9a-zA-Z]{17}\$

Value Pattern: ^snap-[0-9a-zA-Z]{17}\$

Required: No

volumeToVolumeSize

A mapping between the volumes and their sizes

Type: String to long map

Key Length Constraints: Minimum length of 0. Maximum length of 65536.

Valid Range: Minimum value of 0.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CPU

Information about a server's CPU.

Contents

cores

The number of CPU cores.

Type: Long

Valid Range: Minimum value of 0.

Required: No

modelName

The model name of the CPU.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DataReplicationError

Error in data replication.

Contents

error

Error in data replication.

Type: String

Valid Values: AGENT_NOT_SEEN | SNAPSHOT_FAILURE | NOT_CONVERGING
| UNSTABLE_NETWORK | FAILED_TO_CREATE_SECURITY_GROUP |
FAILED_TO_LAUNCH_REPLICATION_SERVER | FAILED_TO_BOOT_REPLICATION_SERVER |
FAILED_TO_AUTHENTICATE_WITH_SERVICE |
FAILED_TO_DOWNLOAD_REPLICATION_SOFTWARE |
FAILED_TO_CREATE_STAGING_DISKS | FAILED_TO_ATTACH_STAGING_DISKS
| FAILED_TO_PAIR_REPLICATION_SERVER_WITH_AGENT |
FAILED_TO_CONNECT_AGENT_TO_REPLICATION_SERVER |
FAILED_TO_START_DATA_TRANSFER

Required: No

rawError

Error in data replication.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 65536.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DataReplicationInfo

Information about Data Replication

Contents

dataReplicationError

Error in data replication.

Type: [DataReplicationError \(p. 128\)](#) object

Required: No

dataReplicationInitiation

Information about whether the data replication has been initiated.

Type: [DataReplicationInitiation \(p. 133\)](#) object

Required: No

dataReplicationState

The state of the data replication.

Type: String

Valid Values: STOPPED | INITIATING | INITIAL_SYNC | BACKLOG | CREATING_SNAPSHOT
| CONTINUOUS | PAUSED | RESCAN | STALLED | DISCONNECTED

Required: No

etaDateTime

An estimate of when the data replication will be completed.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|1[2][0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

lagDuration

Data replication lag duration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

replicatedDisks

The disks that should be replicated.

Type: Array of [DataReplicationInfoReplicatedDisk \(p. 131\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 60 items.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DataReplicationInfoReplicatedDisk

A disk that should be replicated.

Contents

backloggedStorageBytes

The size of the replication backlog in bytes.

Type: Long

Valid Range: Minimum value of 0.

Required: No

deviceName

The name of the device.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

replicatedStorageBytes

The amount of data replicated so far in bytes.

Type: Long

Valid Range: Minimum value of 0.

Required: No

rescannedStorageBytes

The amount of data to be rescanned in bytes.

Type: Long

Valid Range: Minimum value of 0.

Required: No

totalStorageBytes

The total amount of data to be replicated in bytes.

Type: Long

Valid Range: Minimum value of 0.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DataReplicationInitiation

Data replication initiation.

Contents

nextAttemptDateTime

The date and time of the next attempt to initiate data replication.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|1[2][0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

startDateTime

The date and time of the current attempt to initiate data replication.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|1[2][0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

steps

The steps of the current attempt to initiate data replication.

Type: Array of [DataReplicationInitiationStep \(p. 134\)](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DataReplicationInitiationStep

Data replication initiation step.

Contents

name

The name of the step.

Type: String

Valid Values: WAIT | CREATE_SECURITY_GROUP | LAUNCH_REPLICATION_SERVER | BOOT_REPLICATION_SERVER | AUTHENTICATE_WITH_SERVICE | DOWNLOAD_REPLICATION_SOFTWARE | CREATE_STAGING_DISKS | ATTACH_STAGING_DISKS | PAIR_REPLICATION_SERVER_WITH_AGENT | CONNECT_AGENT_TO_REPLICATION_SERVER | START_DATA_TRANSFER

Required: No

status

The status of the step.

Type: String

Valid Values: NOT_STARTED | IN_PROGRESS | SUCCEEDED | FAILED | SKIPPED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DescribeJobsRequestFilters

A set of filters by which to return Jobs.

Contents

fromDate

The start date in a date range query.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|1[2][0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

jobIDs

An array of Job IDs that should be returned. An empty array means all jobs.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 1000 items.

Length Constraints: Fixed length of 24.

Pattern: ^drsjob-[0-9a-zA-Z]{17}\$

Required: No

toDate

The end date in a date range query.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|1[2][0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DescribeRecoveryInstancesRequestFilters

A set of filters by which to return Recovery Instances.

Contents

recoveryInstanceIDs

An array of Recovery Instance IDs that should be returned. An empty array means all Recovery Instances.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Length Constraints: Minimum length of 10. Maximum length of 19.

Pattern: ^i-[0-9a-fA-F]{8,} \$

Required: No

sourceServerIDs

An array of Source Server IDs for which associated Recovery Instances should be returned.

Type: Array of strings

Length Constraints: Fixed length of 19.

Pattern: ^s-[0-9a-zA-Z]{17} \$

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DescribeRecoverySolutionsRequestFilters

A set of filters by which to return Recovery Snapshots.

Contents

fromDateTime

The start date in a date range query.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|1[2][0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

toDateDateTime

The end date in a date range query.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|1[2][0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DescribeSourceServersRequestFilters

A set of filters by which to return Source Servers.

Contents

hardwareId

An ID that describes the hardware of the Source Server. This is either an EC2 instance id, a VMware uuid or a mac address.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

sourceServerIDs

An array of Source Servers IDs that should be returned. An empty array means all Source Servers.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Length Constraints: Fixed length of 19.

Pattern: ^s-[0-9a-zA-Z]{17}\$

Required: No

stagingAccountIDs

An array of staging account IDs that extended source servers belong to. An empty array means all source servers will be shown.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Length Constraints: Fixed length of 12.

Pattern: [0-9]{12,}

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Disk

An object representing a data storage device on a server.

Contents

bytes

The amount of storage on the disk in bytes.

Type: Long

Valid Range: Minimum value of 0.

Required: No

deviceName

The disk or device name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IdentificationHints

Hints used to uniquely identify a machine.

Contents

awsInstanceId

AWS Instance ID identification hint.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: ^i-[0-9a-fA-F]{8,} \$

Required: No

fqdn

Fully Qualified Domain Name identification hint.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

hostname

Hostname identification hint.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

vmWareUuid

vCenter VM path identification hint.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Job

A job is an asynchronous workflow.

Contents

arn

The ARN of a Job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:.{16,2044}\$

Required: No

creationDateTime

The date and time of when the Job was created.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|1[2][0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

endDateTime

The date and time of when the Job ended.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|1[2][0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

initiatedBy

A string representing who initiated the Job.

Type: String

Valid Values: START_RECOVERY | START_DRILL | FAILBACK | DIAGNOSTIC | TERMINATE_RECOVERY_INSTANCES | TARGET_ACCOUNT

Required: No

jobID

The ID of the Job.

Type: String

Length Constraints: Fixed length of 24.

Pattern: ^drsjob-[0-9a-zA-Z]{17}\$

Required: Yes

participatingServers

A list of servers that the Job is acting upon.

Type: Array of [ParticipatingServer \(p. 153\)](#) objects

Required: No

status

The status of the Job.

Type: String

Valid Values: PENDING | STARTED | COMPLETED

Required: No

tags

A list of tags associated with the Job.

Type: String to string map

Key Length Constraints: Minimum length of 0. Maximum length of 256.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

type

The type of the Job.

Type: String

Valid Values: LAUNCH | TERMINATE | CREATE_CONVERTED_SNAPSHOT

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

JobLog

A log outputted by a Job.

Contents

event

The event represents the type of a log.

Type: String

Valid Values: JOB_START | SERVER_SKIPPED | CLEANUP_START | CLEANUP_END | CLEANUP_FAIL | SNAPSHOT_START | SNAPSHOT_END | SNAPSHOT_FAIL | USING_PREVIOUS_SNAPSHOT | USING_PREVIOUS_SNAPSHOT_FAILED | CONVERSION_START | CONVERSION_END | CONVERSION_FAIL | LAUNCH_START | LAUNCH_FAILED | JOB_CANCEL | JOB_END

Required: No

eventData

Metadata associated with a Job log.

Type: [JobLogEventData \(p. 144\)](#) object

Required: No

logDateTime

The date and time the log was taken.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|1[2][0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

JobLogEventData

Metadata associated with a Job log.

Contents

conversionProperties

Properties of a conversion job

Type: [ConversionProperties \(p. 125\)](#) object

Required: No

conversionServerID

The ID of a conversion server.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: ^i-[0-9a-fA-F]{8,} \$

Required: No

rawError

A string representing a job error.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 65536.

Required: No

sourceServerID

The ID of a Source Server.

Type: String

Length Constraints: Fixed length of 19.

Pattern: ^s-[0-9a-zA-Z]{17} \$

Required: No

targetInstanceID

The ID of a Recovery Instance.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: ^i-[0-9a-fA-F]{8,} \$

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Licensing

Configuration of a machine's license.

Contents

osByol

Whether to enable "Bring your own license" or not.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LifeCycle

An object representing the Source Server Lifecycle.

Contents

addedToServiceDateTime

The date and time of when the Source Server was added to the service.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|1[2][0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

elapsedReplicationDuration

The amount of time that the Source Server has been replicating for.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

firstByteDateTime

The date and time of the first byte that was replicated from the Source Server.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|1[2][0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

lastLaunch

An object containing information regarding the last launch of the Source Server.

Type: [LifeCycleLastLaunch \(p. 149\)](#) object

Required: No

lastSeenByServiceDateTime

The date and time this Source Server was last seen by the service.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|1[2][0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LifeCycleLastLaunch

An object containing information regarding the last launch of a Source Server.

Contents

initiated

An object containing information regarding the initiation of the last launch of a Source Server.

Type: [LifeCycleLastLaunchInitiated \(p. 150\)](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LifeCycleLastLaunchInitiated

An object containing information regarding the initiation of the last launch of a Source Server.

Contents

apiCallDateTime

The date and time the last Source Server launch was initiated.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|1[2][0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

jobID

The ID of the Job that was used to last launch the Source Server.

Type: String

Length Constraints: Fixed length of 24.

Pattern: ^drsjob-[0-9a-zA-Z]{17}\$

Required: No

type

The Job type that was used to last launch the Source Server.

Type: String

Valid Values: RECOVERY | DRILL

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NetworkInterface

Network interface.

Contents

ips

Network interface IPs.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

isPrimary

Whether this is the primary network interface.

Type: Boolean

Required: No

macAddress

The MAC address of the network interface.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OS

Operating System.

Contents

fullString

The long name of the Operating System.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ParticipatingServer

Represents a server participating in an asynchronous Job.

Contents

launchStatus

The launch status of a participating server.

Type: String

Valid Values: PENDING | IN_PROGRESS | LAUNCHED | FAILED | TERMINATED

Required: No

recoveryInstanceId

The Recovery Instance ID of a participating server.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 19.

Pattern: ^i-[0-9a-fA-F]{8,}\$

Required: No

sourceServerID

The Source Server ID of a participating server.

Type: String

Length Constraints: Fixed length of 19.

Pattern: ^s-[0-9a-zA-Z]{17}\$

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PITPolicyRule

A rule in the Point in Time (PIT) policy representing when to take snapshots and how long to retain them for.

Contents

enabled

Whether this rule is enabled or not.

Type: Boolean

Required: No

interval

How often, in the chosen units, a snapshot should be taken.

Type: Integer

Valid Range: Minimum value of 1.

Required: Yes

retentionDuration

The duration to retain a snapshot for, in the chosen units.

Type: Integer

Valid Range: Minimum value of 1.

Required: Yes

ruleID

The ID of the rule.

Type: Long

Valid Range: Minimum value of 0.

Required: No

units

The units used to measure the interval and retentionDuration.

Type: String

Valid Values: MINUTE | HOUR | DAY

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecoveryInstance

A Recovery Instance is a replica of a Source Server running on EC2.

Contents

arn

The ARN of the Recovery Instance.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn: .{16,2044}\$

Required: No

dataReplicationInfo

The Data Replication Info of the Recovery Instance.

Type: [RecoveryInstanceDataReplicationInfo \(p. 160\)](#) object

Required: No

ec2InstanceId

The EC2 instance ID of the Recovery Instance.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: ^i-[0-9a-fA-F]{8,}+\$

Required: No

ec2InstanceState

The state of the EC2 instance for this Recovery Instance.

Type: String

Valid Values: PENDING | RUNNING | STOPPING | STOPPED | SHUTTING-DOWN | TERMINATED | NOT_FOUND

Required: No

failback

An object representing failback related information of the Recovery Instance.

Type: [RecoveryInstanceFailback \(p. 167\)](#) object

Required: No

isDrill

Whether this Recovery Instance was created for a drill or for an actual Recovery event.

Type: Boolean

Required: No

jobID

The ID of the Job that created the Recovery Instance.

Type: String

Length Constraints: Fixed length of 24.

Pattern: ^drsjob-[0-9a-zA-Z]{17}\$

Required: No

originEnvironment

Environment (On Premises / AWS) of the instance that the recovery instance originated from.

Type: String

Valid Values: ON_PREMISES | AWS

Required: No

pointInTimeSnapshotDateTime

The date and time of the Point in Time (PIT) snapshot that this Recovery Instance was launched from.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|1[2][0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

recoveryInstanceID

The ID of the Recovery Instance.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 19.

Pattern: ^i-[0-9a-fA-F]{8,}\$

Required: No

recoveryInstanceProperties

Properties of the Recovery Instance machine.

Type: [RecoveryInstanceProperties \(p. 170\)](#) object

Required: No

sourceServerID

The Source Server ID that this Recovery Instance is associated with.

Type: String

Length Constraints: Fixed length of 19.

Pattern: ^s-[0-9a-zA-Z]{17}\$

Required: No

tags

An array of tags that are associated with the Recovery Instance.

Type: String to string map

Key Length Constraints: Minimum length of 0. Maximum length of 256.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecoveryInstanceDataReplicationError

Error in data replication.

Contents

error

Error in data replication.

Type: String

Valid Values: AGENT_NOT_SEEN | FAILBACK_CLIENT_NOT_SEEN | NOT_CONVERGING | UNSTABLE_NETWORK | FAILED_TO_ESTABLISH_RECOVERY_INSTANCE_COMMUNICATION | FAILED_TO_DOWNLOAD_REPLICATION_SOFTWARE_TO_FAILBACK_CLIENT | FAILED_TO_CONFIGURE_REPLICATION_SOFTWARE | FAILED_TO_PAIR_AGENT_WITH_REPLICATION_SOFTWARE | FAILED_TO_ESTABLISH_AGENT_REPLICATOR_SOFTWARE_COMMUNICATION | FAILED_GETTING_REPLICATION_STATE | SNAPSHOTS_FAILURE | FAILED_TO_CREATE_SECURITY_GROUP | FAILED_TO_LAUNCH_REPLICATION_SERVER | FAILED_TO_BOOT_REPLICATION_SERVER | FAILED_TO_AUTHENTICATE_WITH_SERVICE | FAILED_TO_DOWNLOAD_REPLICATION_SOFTWARE | FAILED_TO_CREATE_STAGING_DISKS | FAILED_TO_ATTACH_STAGING_DISKS | FAILED_TO_PAIR_REPLICATION_SERVER_WITH_AGENT | FAILED_TO_CONNECT_AGENT_TO_REPLICATION_SERVER | FAILED_TO_START_DATA_TRANSFER

Required: No

rawError

Error in data replication.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 65536.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecoveryInstanceDataReplicationInfo

Information about Data Replication

Contents

dataReplicationError

Information about Data Replication

Type: [RecoveryInstanceDataReplicationError \(p. 159\)](#) object

Required: No

dataReplicationInitiation

Information about whether the data replication has been initiated.

Type: [RecoveryInstanceDataReplicationInitiation \(p. 164\)](#) object

Required: No

dataReplicationState

The state of the data replication.

Type: String

Valid Values: STOPPED | INITIATING | INITIAL_SYNC | BACKLOG | CREATING_SNAPSHOT | CONTINUOUS | PAUSED | RESCAN | STALLED | DISCONNECTED | REPLICATION_STATE_NOT_AVAILABLE | NOT_STARTED

Required: No

etaDateTime

An estimate of when the data replication will be completed.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|1[2][0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

lagDuration

Data replication lag duration.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|1[2][0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

replicatedDisks

The disks that should be replicated.

Type: Array of [RecoveryInstanceDataReplicationInfoReplicatedDisk \(p. 162\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 60 items.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecoveryInstanceDataReplicationInfoReplicatedDisk

A disk that should be replicated.

Contents

backloggedStorageBytes

The size of the replication backlog in bytes.

Type: Long

Valid Range: Minimum value of 0.

Required: No

deviceName

The name of the device.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

replicatedStorageBytes

The amount of data replicated so far in bytes.

Type: Long

Valid Range: Minimum value of 0.

Required: No

rescannedStorageBytes

The amount of data to be rescanned in bytes.

Type: Long

Valid Range: Minimum value of 0.

Required: No

totalStorageBytes

The total amount of data to be replicated in bytes.

Type: Long

Valid Range: Minimum value of 0.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecoveryInstanceDataReplicationInitiation

Data replication initiation.

Contents

startDateTime

The date and time of the current attempt to initiate data replication.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|1[2][0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

steps

The steps of the current attempt to initiate data replication.

Type: Array of [RecoveryInstanceDataReplicationInitiationStep \(p. 165\)](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecoveryInstanceDataReplicationInitiationStep

Data replication initiation step.

Contents

name

The name of the step.

Type: String

Valid Values: LINK_FAILBACK_CLIENT_WITH_RECOVERY_INSTANCE | COMPLETE_VOLUME_MAPPING | ESTABLISH_RECOVERY_INSTANCE_COMMUNICATION | DOWNLOAD_REPLICATION_SOFTWARE_TO_FAILBACK_CLIENT | CONFIGURE_REPLICATION_SOFTWARE | PAIR_AGENT_WITH_REPLICATION_SOFTWARE | ESTABLISH_AGENT_REPLICATOR_SOFTWARE_COMMUNICATION | WAIT | CREATE_SECURITY_GROUP | LAUNCH_REPLICATION_SERVER | BOOT_REPLICATION_SERVER | AUTHENTICATE_WITH_SERVICE | DOWNLOAD_REPLICATION_SOFTWARE | CREATE_STAGING_DISKS | ATTACH_STAGING_DISKS | PAIR_REPLICATION_SERVER_WITH_AGENT | CONNECT_AGENT_TO_REPLICATION_SERVER | START_DATA_TRANSFER

Required: No

status

The status of the step.

Type: String

Valid Values: NOT_STARTED | IN_PROGRESS | SUCCEEDED | FAILED | SKIPPED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecoveryInstanceDisk

An object representing a block storage device on the Recovery Instance.

Contents

bytes

The amount of storage on the disk in bytes.

Type: Long

Valid Range: Minimum value of 0.

Required: No

ebsVolumeID

The EBS Volume ID of this disk.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 19.

Pattern: ^vol-([0-9a-fA-F]{8}|[0-9a-fA-F]{17})\$

Required: No

internalDeviceName

The internal device name of this disk. This is the name that is visible on the machine itself and not from the EC2 console.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecoveryInstanceFallback

An object representing failback related information of the Recovery Instance.

Contents

agentLastSeenByServiceDateTime

The date and time the agent on the Recovery Instance was last seen by the service.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|12)[0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

elapsedReplicationDuration

The amount of time that the Recovery Instance has been replicating for.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|12)[0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

failbackClientID

The ID of the failback client that this Recovery Instance is associated with.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

failbackClientLastSeenByServiceDateTime

The date and time that the failback client was last seen by the service.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|12)[0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

failbackInitiationTime

The date and time that the failback initiation started.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|12)[0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

failbackJobID

The Job ID of the last failback log for this Recovery Instance.

Type: String

Length Constraints: Fixed length of 24.

Pattern: ^drsjob-[0-9a-zA-Z]{17}\$

Required: No

failbackLaunchType

The launch type (Recovery / Drill) of the last launch for the failback replication of this recovery instance.

Type: String

Valid Values: RECOVERY | DRILL

Required: No

failbackToOriginalServer

Whether we are failing back to the original Source Server for this Recovery Instance.

Type: Boolean

Required: No

firstByteDateTime

The date and time of the first byte that was replicated from the Recovery Instance.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|12)[0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

state

The state of the failback process that this Recovery Instance is in.

Type: String

Valid Values: FAILBACK_NOT_STARTED | FAILBACK_IN_PROGRESS | FAILBACK_READY_FOR_LAUNCH | FAILBACK_COMPLETED | FAILBACK_ERROR | FAILBACK_NOT_READY_FOR_LAUNCH | FAILBACK_LAUNCH_STATE_NOT_AVAILABLE

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecoveryInstanceProperties

Properties of the Recovery Instance machine.

Contents

cpus

An array of CPUs.

Type: Array of [CPU \(p. 127\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 256 items.

Required: No

disks

An array of disks.

Type: Array of [RecoveryInstanceDisk \(p. 166\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 1000 items.

Required: No

identificationHints

Hints used to uniquely identify a machine.

Type: [IdentificationHints \(p. 140\)](#) object

Required: No

lastUpdatedDateTime

The date and time the Recovery Instance properties were last updated on.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|1[0-2])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

networkInterfaces

An array of network interfaces.

Type: Array of [NetworkInterface \(p. 151\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 32 items.

Required: No

os

Operating system.

Type: [OS \(p. 152\)](#) object

Required: No

ramBytes

The amount of RAM in bytes.

Type: `Long`

Valid Range: Minimum value of 0.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecoverySnapshot

A snapshot of a Source Server used during recovery.

Contents

ebsSnapshots

A list of EBS snapshots.

Type: Array of strings

Pattern: ^snap-[0-9a-zA-Z]{17}\$

Required: No

expectedTimestamp

The timestamp of when we expect the snapshot to be taken.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|12)[0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: Yes

snapshotID

The ID of the Recovery Snapshot.

Type: String

Length Constraints: Fixed length of 21.

Pattern: ^pit-[0-9a-zA-Z]{17}\$

Required: Yes

sourceServerID

The ID of the Source Server that the snapshot was taken for.

Type: String

Length Constraints: Fixed length of 19.

Pattern: ^s-[0-9a-zA-Z]{17}\$

Required: Yes

timestamp

The actual timestamp that the snapshot was taken.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|12)[0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ReplicationConfigurationReplicatedDisk

The configuration of a disk of the Source Server to be replicated.

Contents

deviceName

The name of the device.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

iops

The requested number of I/O operations per second (IOPS).

Type: Long

Valid Range: Minimum value of 0.

Required: No

isBootDisk

Whether to boot from this disk or not.

Type: Boolean

Required: No

optimizedStagingDiskType

The Staging Disk EBS volume type to be used during replication when `stagingDiskType` is set to Auto. This is a read-only field.

Type: String

Valid Values: AUTO | GP2 | GP3 | IO1 | SC1 | ST1 | STANDARD

Required: No

stagingDiskType

The Staging Disk EBS volume type to be used during replication.

Type: String

Valid Values: AUTO | GP2 | GP3 | IO1 | SC1 | ST1 | STANDARD

Required: No

throughput

The throughput to use for the EBS volume in MiB/s. This parameter is valid only for gp3 volumes.

Type: Long

Valid Range: Minimum value of 0.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ReplicationConfigurationTemplate

Contents

arn

The Replication Configuration Template ARN.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:.{16,2044}\$

Required: No

associateDefaultSecurityGroup

Whether to associate the default Elastic Disaster Recovery Security group with the Replication Configuration Template.

Type: Boolean

Required: No

bandwidthThrottling

Configure bandwidth throttling for the outbound data transfer rate of the Source Server in Mbps.

Type: Long

Valid Range: Minimum value of 0.

Required: No

createPublicIP

Whether to create a Public IP for the Recovery Instance by default.

Type: Boolean

Required: No

dataPlaneRouting

The data plane routing mechanism that will be used for replication.

Type: String

Valid Values: PRIVATE_IP | PUBLIC_IP

Required: No

defaultLargeStagingDiskType

The Staging Disk EBS volume type to be used during replication.

Type: String

Valid Values: GP2 | GP3 | ST1 | AUTO

Required: No

ebsEncryption

The type of EBS encryption to be used during replication.

Type: String

Valid Values: DEFAULT | CUSTOM

Required: No

ebsEncryptionKeyArn

The ARN of the EBS encryption key to be used during replication.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:.{16,2044}\$

Required: No

pitPolicy

The Point in time (PIT) policy to manage snapshots taken during replication.

Type: Array of [PITPolicyRule \(p. 154\)](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Required: No

replicationConfigurationTemplateID

The Replication Configuration Template ID.

Type: String

Length Constraints: Fixed length of 21.

Pattern: ^rct-[0-9a-zA-Z]{17}\$

Required: Yes

replicationServerInstanceType

The instance type to be used for the replication server.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

replicationServersSecurityGroupsIDs

The security group IDs that will be used by the replication server.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 32 items.

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: ^sg-[0-9a-fA-F]{8,}\$

Required: No

stagingAreaSubnetId

The subnet to be used by the replication staging area.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: ^subnet-[0-9a-fA-F]{8,}\$\$

Required: No

stagingAreaTags

A set of tags to be associated with all resources created in the replication staging area: EC2 replication server, EBS volumes, EBS snapshots, etc.

Type: String to string map

Key Length Constraints: Minimum length of 0. Maximum length of 256.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

tags

A set of tags to be associated with the Replication Configuration Template resource.

Type: String to string map

Key Length Constraints: Minimum length of 0. Maximum length of 256.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

useDedicatedReplicationServer

Whether to use a dedicated Replication Server in the replication staging area.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SourceCloudProperties

Properties of the cloud environment where this Source Server originated from.

Contents

originAccountId

AWS Account ID for an EC2-originated Source Server.

Type: String

Length Constraints: Fixed length of 12.

Pattern: [0-9]{12,}

Required: No

originAvailabilityZone

AWS Availability Zone for an EC2-originated Source Server.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: ^(us(-gov)?|ap|ca|cn|eu|sa|af|me)-(central|north|(north(?:east|west))|south|south(?:east|west)|east|west)-[0-9][a-z]\$

Required: No

originRegion

AWS Region for an EC2-originated Source Server.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: ^(us(-gov)?|ap|ca|cn|eu|sa|af|me)-(central|north|(north(?:east|west))|south|south(?:east|west)|east|west)-[0-9]\$

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SourceProperties

Properties of the Source Server machine.

Contents

cpus

An array of CPUs.

Type: Array of [CPU \(p. 127\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 256 items.

Required: No

disks

An array of disks.

Type: Array of [Disk \(p. 139\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 1000 items.

Required: No

identificationHints

Hints used to uniquely identify a machine.

Type: [IdentificationHints \(p. 140\)](#) object

Required: No

lastUpdatedDateTime

The date and time the Source Properties were last updated on.

Type: String

Length Constraints: Minimum length of 19. Maximum length of 32.

Pattern: ^[1-9][0-9]*-(0[1-9]|1[0-2])-(0[1-9]|1[2][0-9]|3[01])T([0-1][0-9]|2[0-3]):[0-5][0-9]:[0-5][0-9](\.[0-9]+)?Z\$

Required: No

networkInterfaces

An array of network interfaces.

Type: Array of [NetworkInterface \(p. 151\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 32 items.

Required: No

os

Operating system.

Type: [OS \(p. 152\)](#) object

Required: No

ramBytes

The amount of RAM in bytes.

Type: Long

Valid Range: Minimum value of 0.

Required: No

recommendedInstanceType

The recommended EC2 instance type that will be used when recovering the Source Server.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SourceServer

Contents

arn

The ARN of the Source Server.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:.{16,2044}\$

Required: No

dataReplicationInfo

The Data Replication Info of the Source Server.

Type: [DataReplicationInfo \(p. 129\)](#) object

Required: No

lastLaunchResult

The status of the last recovery launch of this Source Server.

Type: String

Valid Values: NOT_STARTED | PENDING | SUCCEEDED | FAILED

Required: No

lifeCycle

The lifecycle information of this Source Server.

Type: [LifeCycle \(p. 147\)](#) object

Required: No

recoveryInstanceId

The ID of the Recovery Instance associated with this Source Server.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 19.

Pattern: ^i-[0-9a-fA-F]{8,} \$

Required: No

replicationDirection

Replication direction of the Source Server.

Type: String

Valid Values: FAILOVER | FAILBACK

Required: No

reversedDirectionSourceServerArn

For EC2-originated Source Servers which have been failed over and then failed back, this value will mean the ARN of the Source Server on the opposite replication direction.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:(?:[0-9a-zA-Z_-]+:){3}([0-9]{12,}):source-server/(s-[0-9a-zA-Z]{17})\$

Required: No

sourceCloudProperties

Source cloud properties of the Source Server.

Type: [SourceCloudProperties \(p. 179\)](#) object

Required: No

sourceProperties

The source properties of the Source Server.

Type: [SourceProperties \(p. 180\)](#) object

Required: No

sourceServerID

The ID of the Source Server.

Type: String

Length Constraints: Fixed length of 19.

Pattern: ^s-[0-9a-zA-Z]{17}\$

Required: No

stagingArea

The staging area of the source server.

Type: [StagingArea \(p. 185\)](#) object

Required: No

tags

The tags associated with the Source Server.

Type: String to string map

Key Length Constraints: Minimum length of 0. Maximum length of 256.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StagingArea

Staging information related to source server.

Contents

errorMessage

Shows an error message that occurred when DRS tried to access the staging source server. In this case StagingArea\$status will have value EXTENSION_ERROR

Type: String

Length Constraints: Minimum length of 0. Maximum length of 65536.

Required: No

stagingAccountId

Account ID of the account to which source server belongs. If this source server is extended - shows Account ID of staging source server.

Type: String

Length Constraints: Fixed length of 12.

Pattern: [0-9]{12,}

Required: No

stagingSourceServerArn

Arn of the staging source server if this source server is extended

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:.\{16,2044\}\$

Required: No

status

Status of Source server extension. Possible values: (a) NOT_EXTENDED - This is a source server that is replicating in the current account. (b) EXTENDED - Source server is extended from a staging source server. In this case, the value of stagingSourceServerArn is pointing to the Arn of the source server in the staging account. (c) EXTENSION_ERROR - Some issue occurred when accessing staging source server. In this case, errorMessage field will contain an error message that explains what happened.

Type: String

Valid Values: EXTENDED | EXTENSION_ERROR | NOT_EXTENDED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StagingSourceServer

Source server in staging account that extended source server connected to.

Contents

arn

The ARN of the source server.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: ^arn:(?:[0-9a-zA-Z_-]+:){3}([0-9]{12,}):source-server/(s-[0-9a-zA-Z]{17})\$

Required: No

hostname

Hostname of staging source server.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

tags

A list of tags associated with the staging source server.

Type: String to string map

Key Length Constraints: Minimum length of 0. Maximum length of 256.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StartRecoveryRequestSourceServer

An object representing the Source Server to recover.

Contents

recoverySnapshotID

The ID of a Recovery Snapshot we want to recover from. Omit this field to launch from the latest data by taking an on-demand snapshot.

Type: String

Length Constraints: Fixed length of 21.

Pattern: ^pit-[0-9a-zA-Z]{17}\$

Required: No

sourceServerID

The ID of the Source Server you want to recover.

Type: String

Length Constraints: Fixed length of 19.

Pattern: ^s-[0-9a-zA-Z]{17}\$

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ValidationExceptionField

Validate exception field.

Contents

message

Validate exception field message.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 65536.

Required: No

name

Validate exception field name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 65536.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signature Version 4 Signing Process](#) in the *Amazon Web Services General Reference*.

Action

The action to be performed.

Type: string

Required: Yes

Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Task 2: Create a String to Sign for Signature Version 4](#) in the *Amazon Web Services General Reference*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is

not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Handling Dates in Signature Version 4](#) in the *Amazon Web Services General Reference*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS Security Token Service, go to [AWS Services That Work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from the AWS Security Token Service, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Task 1: Create a Canonical Request For Signature Version 4](#) in the *Amazon Web Services General Reference*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

IncompleteSignature

The request signature does not conform to AWS standards.

HTTP Status Code: 400

InternalFailure

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

InvalidAction

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 400

InvalidClientId

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

InvalidParameterCombination

Parameters that must not be used together were used together.

HTTP Status Code: 400

InvalidParameterValue

An invalid or out-of-range value was supplied for the input parameter.

HTTP Status Code: 400

InvalidQueryParameter

The AWS query string is malformed or does not adhere to AWS standards.

HTTP Status Code: 400

MalformedQueryString

The query string contains a syntax error.

HTTP Status Code: 404

MissingAction

The request is missing an action or a required parameter.

HTTP Status Code: 400

MissingAuthenticationToken

The request must contain either a valid (registered) AWS access key ID or X.509 certificate.

HTTP Status Code: 403

MissingParameter

A required parameter for the specified action is not supplied.

HTTP Status Code: 400

NotAuthorized

You do not have permission to perform this action.

HTTP Status Code: 400

OptInRequired

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

RequestExpired

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

ServiceUnavailable

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 400

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400